

FIGURE 1

GGCATCTGCCCCGAGGAGACCACGCTCCTGGAGCTCTGCTGTCTTCTCAGGGAGACTCTGAGG
CTCTGTTGAGAATCATGCTTTGGAGGCAGCTCATCTATTGGCAACTGCTGGCTTTGTTTTTC
CTCCCTTTTTTGCCTGTGTCAAGATGAATACATGGAGTCTCCACAAACCGGAGGACTACCCCC
AGACTGCAGTAAGTGTGTGTCATGGAGACTACAGCTTTCGAGGCTACCAAGGCCCCCCCTGGGC
CACCGGGCCCTCCTGGCATTCCAGGAAACCATGGAAACAATGGCAACAATGGAGCCACTGGT
CATGAAGGAGCCAAAGGTGAGAAGGGCGACAAAGGTGACCTGGGGCCTCGAGGGGAGCGGGG
GCAGCATGGCCCCAAAGGAGAGAAGGGCTACCCGGGGATTCCACCAGAACTTCAGATTGCAT
TCATGGCTTCTCTGGCAACCCACTTCAGCAATCAGAACAGTGGGATTATCTTCAGCAGTGTT
GAGACCAACATTGGAAACTTCTTTGATGTCATGACTGGTAGATTTGGGGCCCCAGTATCAGG
TGTGTATTTCTTCACCTTCAGCATGATGAAGCATGAGGATGTTGAGGAAGTGTATGTGTACC
TTATGCACAATGGCAACACAGTCTTCAGCATGTACAGCTATGAAATGAAGGGCAAATCAGAT
ACATCCAGCAATCATGCTGTGCTGAAGCTAGCCAAAGGGGATGAGGTTTGGCTGCGAATGGG
CAATGGCGCTCTCCATGGGGACCACCAACGCTTCTCCACCTTTGCAGGATTCTTGCTCTTTG
AAACTAAGTAAATATATGACTAGAATAGCTCCACTTTGGGGAAGACTTGTAGCTGAGCTGAT
TTGTTACGATCTGAGGAACATTAAAGTTGAGGGTTTTACATTGCTGTATTCAAAAAATTATT
GGTTGCAATGTTGTTACGCTACAGGTACACCAATAATGTTGGACAATTCAGGGGCTCAGAA
GAATCAACCACAAAATAGTCTTCTCAGATGACCTTGACTAATACTCAGCATCTTTATCAC
TCTTTCCTTGGCACCTAAAAGATAATTCTCCTCTGACGCAGGTTGGAAATATTTTTTTCTAT
CACAGAAGTCATTTGCAAAGAATTTTGACTACTCTGCTTTTAATTTAATACCAGTTTTTCAGG
AACCCTGAAGTTTTAAGTTCATTATTCTTTATAACATTTGAGAGAATCGGATGTAGTGATA
TGACAGGGCTGGGGCAAGAACAGGGGCACTAGCTGCCTTATTAGCTAATTTAGTGCCCTCCG
TGTTTCAGCTTAGCCTTTGACCCTTTCCTTTTGATCCACAAAATACATTAAAACTCTGAATTC
ACATACAATGCTATTTTAAAGTCAATAGATTTTAGCTATAAAGTGCTTGACCAGTAATGTGG
TTGTAATTTTGTGTATGTTCCCCCACATCGCCCCAACTTCGGATGTGGGGTCAGGAGGTTG
AGGTTCACTATTAACAAATGTCATAAATATCTCATAGAGGTACAGTGCCAATAGATATTCAA
ATGTTGCATGTTGACCAGAGGGATTTTATATCTGAAGAACATACACTATTAATAAATACCTT
AGAGAAAGATTTTGACCTGGCTTTAGATAAAACTGTGGCAAGAAAAATGTAATGAGCAATAT
ATGGAAATAAACACACCTTTGTTAAAGATAAAAAAAA

FIGURE 2

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA44686

><subunit 1 of 1, 246 aa, 1 stop

><MW: 26994, pI: 6.43, NX(S/T): 0

MLWRQLIYWQLLALFFLPFCLCQDEYMESPQTGGLPPDCSKCCHGDYSFRGYQGPPGPPGPP
GIPGNHGNNGNNGATGHEGAKGEKGDKGDLGPRGERGQHGPKEGKGYPGIPPELQIAFMASL
ATHFSNQNSGIIFFSSVETNIGNFFDVMGTGRFGAPVSGVYFFTFSMMKHEDVEEVYVYLMHNG
NTVFSMYSYEMKGKSDTSSNHA VLK LAKGDEVWLRMGNGALHGDHQR FSTFAGFLLFETK

Important features of the protein:

Signal peptide:

amino acids 1-22

Motif name: Clq domain signature.

amino acids 137-167

Clq domain proteins.

amino acids 135-169, 202-221, 235-244, 57-91, 60-94, 54-88, 81-114, 78-111, 63-96, 51-84, 45-78, 48-81, 33-66, 66-99 and 42-75

FIGURE 3

GAGAGAATAGCTACAGATTCTCCATCCTCAGTCTTTGCAAGGCGACAGCTGTGCCAGCCGGG
CTCTGGCAGGCTCCTGGCAGCATGGCAGTGAAGCTTGGGACCCCTCCTGCTGGCCCTTGCCCT
GGGCCTGGCCCAGCCAGCCTCTGCCCCGCCGGAAGCTGCTGGTGTTTCTGCTGGATGGTTTTT
GCTCAGACTACATCAGTGATGAGGCGCTGGAGTCATTGCCTGGTTTTCAAAGAGATTGTGAGC
AGGGGAGTAAAAGTGGATTACTTGACTCCAGACTTCCCTAGTCTCTCGTATCCCAATTATTA
TACCCTAATGACTGGCCGCCATTGTGAAGTCCATCAGATGATCGGGAACACTACATGTGGGACC
CCACCACCAACAAGTCCTTTGACATTGGCGTCAACAAAGACAGCCTAATGCCTCTCTGGTG
AATGGATCAGAACCTCTGTGGGTCACTCTGACCAAGGCCAAAAGGAAGGTCTACATGTACTA
CTGGCCAGGCTGTGAGGTTGAGATTCTGGGTGTCAGACCCACCTACTGCCTAGAATATAAAA
ATGTCCCAACGGATATCAATTTTGCCAATGCAGTCAGCGATGCTCTTGACTCCTTCAAGAGT
GGCCGGGCGGACCTGGCAGCCATATACCATGAGCGCATTGACGTGGAAGGCCACCACTACGG
GCCTGCATCTCCGCAGAGGAAAGATGCCCTCAAGGCTGTAGACACTGTCCTGAAGTACATGA
CCAAGTGGATCCAGGAGCGGGCCTGCAGGACCGCCTGAACGTCATTATTTTCTCGGATCAC
GGAATGACCGACATTTTCTGGATGGACAAAGTGATTGAGCTGAATAAGTACATCAGCCTGAA
TGACCTGCAGCAAGTGAAGGACCGCGGGCCTGTTGTGAGCCTTTGGCCGGCCCCCTGGGAAAC
ACTCTGAGATATATAACAACTGAGCACAGTGAACACATGACTGTCTACGAGAAAGAAGCC
ATCCCAAGCAGGTTCTATTACAAGAAAGGAAAGTTTGTCTCTCCTTTGACTTTAGTGGCTGA
TGAAGGCTGGTTCATAACTGAGAATCGAGAGATGCTTCCGTTTTGGATGAACAGCACCGGCA
GGCGGGAAGGTTGGCAGCGTGGATGGCACGGCTACGACAACGAGCTCATGGACATGCGGGGC
ATCTTCTTGGCCTTCGGACCTGATTTCAAATCCAACCTCAGAGCTGCTCCTATCAGGTCGGT
GGACGTCTACAATGTCATGTGCAATGTGGTGGGCATCACCCCGCTGCCCAACAACGGATCCT
GGTCCAGGGTGATGTGCATGCTGAAGGGCCGCGCCGGCACTGCCCCGCCTGTCTGGCCCAGC
CACTGTGCCCTGGCACTGATTCTTCTCTTCTGCTTGCATAACTGATCATATTGCTTGTCTC
AGAAAAAACACCATCAGCAAAGTGGGCCTCCAAAGCCAGATGATTTTCATTTTATGTGTGA
ATAATAGCTTCATTAACACAATCAAGACCATGCACATTGTAAATACATTATTCTTGGATAAT
TCTATACATAAAAGTTCCTACTTGTTAA

FIGURE 4

MAVKLGTLALLALGLAQPASARRKLLVFLLDGFRSDYISDEALES LPGFKEIVSRGVKVDY
LTPDFPSLSYPNYYTLMTGRHCEVHQMIGNYMWDPTTNKSFDIGVNKDSL MPLWWNGSEPLW
VTLTAKARKVYMYYPGCEVEILGVRPTYCLEYKNVPTDINFANAVSDALDSFKSGRADLAA
IYHERIDVEGHHYGPASPQRKDALKAVDTVLKYMTKWIQERGLQDRNLNVIIFSDHGMDIFW
MDKVIELNKYISLNDLQQVKDRGPVVS LWPAPGKHSEIYNKLSTVEHMTVYEKEAIPSRFYY
KKGK FVSPLTLVADEGWFITENREMLPFWMNSTGRREGWQRGWHGYDNELMDMRGIFLAFGP
DFKSNFRAAPIRSVDVYNVMCNVVGITPLPNNGSWSRVMCMLKGRAGTAPPVWPSHCALALI
LLFLLA

Important features of the protein:

Signal peptide:

amino acids 1-22

N-glycosylation sites.

amino acids 100-104, 118-122, 341-345, 404-408

N-myristoylation sites.

amino acids 148-154, 365-371

Amidation site.

amino acids 343-347

FIGURE 5

GCCAGGTGTGCAGGCCGCTCCAAGCCCAGCCTGCCCCGCTGCCGCCACCATGACGCTCCTCC
CCGGCCTCCTGTTTCTGACCTGGCTGCACACATGCCTGGCCCACCATGACCCCTCCCTCAGG
GGGCACCCCCACAGTCACGGTACCCACACTGCTACTCGGCTGAGGAACTGCCCCCTCGGCCA
GGCCCCCCCCACACCTGCTGGCTCGAGGTGCCAAGTGGGGGCAGGCTTTGCCTGTAGCCCTGG
TGTCCAGCCTGGAGGCAGCAAGCCACAGGGGGAGGCACGAGAGGCCCTCAGCTACGACCCAG
TGCCCGGTGCTGCGGCCGGAGGAGGTGTTGGAGGCAGACACCCACCAGCGCTCCATCTCACC
CTGGAGATACCGTGTGGACACGGATGAGGACCGCTATCCACAGAAGCTGGCCTTCGCCGAGT
GCCTGTGCAGAGGCTGTATCGATGCACGGACGGGCCGCGAGACAGCTGCGCTCAACTCCGTG
CGGCTGCTCCAGAGCCTGCTGGTGCTGCGCCGCCGGCCCTGCTCCCGCGACGGCTCGGGGCT
CCCCACACCTGGGGCCTTTGCCTTCCACACCGAGTTCATCCACGTCCCCGTGGGCTGCACCT
GCGTGCTGCCCCGTTCAGTGTGACCGCCGAGGCCGTGGGGCCCCCTAGACTGGACACGTGTGC
TCCCCAGAGGGCACCCCCCTATTTATGTGTATTTATTGTTATTTATATGCCTCCCCCAACACT
ACCCTTGGGGTCTGGGCATTCCCCGTGTCTGGAGGACAGCCCCCACTGTTCTCCTCATCTC
CAGCCTCAGTAGTTGGGGGTAGAAGGAGCTCAGCACCTCTTCCAGCCCTTAAAGCTGCAGAA
AAGGTGTCACACGGCTGCCTGTACCTTGGCTCCCTGTCCTGCTCCCGGCTTCCCTTACCCTA
TCACTGGCCTCAGGCCCCGAGGCTGCCTCTTCCCAACCTCCTTGGAAGTACCCCTGTTTCT
TAAACAATTATTTAAGTGTACGTGTATTATTAACTGATGAACACATCCCCAAA

FIGURE 6

MTLLPGLLFLTWLHTCLAHHDPSLRGHPHSHGTPHCYSAEELPLGQAPPHELLARGAKWGQAL
PVALVSSLEAASHRGRHERPSATTQCPVLRPEEVLEADTHQRSISPWRYRVDTDEDRYPQKL
AFAECLCRGCIDARTGRETAALNSVRLQLSLLVLRRRRPCSRDGSGGLPTPGAFAFHTEFIHVP
VGCTCVLPRSV

Important features:

Signal peptide:

amino acids 1-18

Tyrosine kinase phosphorylation site.

amino acids 112-121

N-myristoylation sites.

amino acids 32-38, 55-61, 133-139

Leucine zipper pattern.

amino acids 3-25

Homologous region to IL-17.

amino acids 99-195

FIGURE 7

CGGCCAGGGCGCCGACAGCCCGACCTCACCAGGAGAAC**ATG**CAGCTCGGCACTGGGCTCCTG
CTGGCCGCCGTCCTGAGCCTGCAGCTGGCTGCAGCCGAAGCCATATGGTGTACACAGTGCAC
GGGCTTCGGAGGGTGCTCCCATGGATCCAGATGCCTGAGGGACTCCACCCACTGTGTACCA
CTGCCACCCGGGTCTCAGCAACACCGAGGATTTGCCTCTGGTCACCAAGATGTGCCACATA
GGCTGCCCCGATATCCCCAGCCTGGGCCTGGGCCCCTACGTATCCATCGCTTGCTGCCAGAC
CAGCCTCTGCAACCATGAC**TGA**CGGCTGCCCTCCTCCAGGCCCCCGGACGCTCAGCCCCAC
AGCCCCACAGCCTGGCGCCAGGGCTCACGGCCGCCCTCCCTCGAGACTGGCCAGCCCACC
TCTCCCGGCCTCTGCAGCCACCGTCCAGCACCGCTTGTCTAGGGAAGTCCTGCGTGGAGTC
TTGCCTCAATCTGCTGCCGTCCAAGCCTGGGGCCCATCGTGCCTGCCGCCCCCTTCAGGTCCC
GACCTCCCCACAATAAAATGTGATTGGATCGTGTGGTACAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

FIGURE 8

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77623

><subunit 1 of 1, 97 aa, 1 stop

><MW: 10160, pI: 6.56, NX(S/T): 0

MQLG TG LLLA AVL SLQLAAAEAIWCHQCTGF GGCSHGSRCLRDSTHCVTTATRVLSNTEDLP
LVTKMCHIGCPDIPSLGLGPYVSIACCQTSLCNHD

Important features of the protein:

Signal peptide:

amino acids 1-20

N-myristoylation sites.

amino acids 6-11 and 33-38

Prokaryotic membrane lipoprotein lipid attachment sites.

amino acids 24-34 and 78-88

FIGURE 9

CCAGGACCAGGGCGCACCGGCTCAGCCTCTCACTTGTCAGAGGCCGGGGAAGAGAAGCAAAG
CGCAACGGTGTGGTCCAAGCCGGGGCTTCTGCTTCGCCTCTAGGACATACACGGGACCCCT
AACTTCAGTCCCCCAAACGCGCACCCCTCGAAGTCTTGAACCTCAGCCCCGCACATCCACGCG
CGGCACAGGCGCGGCAGGCGGCAGGTCCCGGCCGAAGGCGATGCGCGCAGGGGGTCGGGCAG
CTGGGCTCGGGCGGCGGGAGTAGGGCCCCGCGAGGGAGGCAGGGAGGCTGCATATTCAGAGTC
GCGGGCTGCGCCCTGGGCAGAGGCCGCCCTCGCTCCACGCAACACCTGCTGCTGCCACCGCG
CCGCGATGAGCCGCGTGGTCTCGCTGCTGCTGGGCGCCGCGCTGCTCTGCGGCCACGGAGCC
TTCTGCCCGCGCTGGTTCAGCGGCCAAAAGGTGTGTTTTGCTGACTTCAAGCATCCCTGCTA
CAAAATGGCCTACTTCCATGAACTGTCCAGCCGAGTGAGCTTTCAGGAGGCACGCCTGGCTT
GTGAGAGTGAGGGAGGAGTCCTCCTCAGCCTTGAGAATGAAGCAGAACAGAAGTTAATAGAG
AGCATGTTGCAAAACCTGACAAAACCCGGGACAGGGATTCTGATGGTGATTTCTGGATAGG
GCTTTGGAGGAATGGAGATGGGCAACATCTGGTGCCTGCCCAGATCTCTACCAGTGGTCTG
ATGGAAGCAATTCACAGTACCGAACTGGTACACAGATGAACCTTCCTGCGGAAGTGAAAAG
TGTGTTGTGATGTATCACCAACCAACTGCCAATCCTGGCCTTGGGGGTCCCTACCTTTACCA
GTGGAATGATGACAGGTGTAACATGAAGCACAATTATATTGCAAGTATGAACCAGAGATTA
ATCCAACAGCCCCGTAGAAAAGCCTTATCTTACAAATCAACCAGGAGACACCCATCAGAAT
GTGGTTGTTACTGAAGCAGGTATAATTCCTAATCTAATTTATGTTGTTATACCAACAATACC
CCTGCTCTTACTGATACTGGTTGCTTTTGGAACCTGTTGTTTCCAGATGCTGCATAAAAGTA
AAGGAAGAACAACAACTAGTCCAACACAGTCTACACTGTGGATTTCAAAGAGTACCAGAAAA
GAAAGTGGCATGGAAGTATAAATACTCATTGACTTGGTTCCAGAATTTTGTAATTTCTGGATC
TGTATAAGGAATGGCATCAGAACAATAGCTTGGAAATGGCTTGAAATCACAAAGGATCTGCAA
GATGAACTGTAAGCTCCCCCTTGAGGCAAATATTAAAGTAATTTTTATATGTCTATTATTTT
ATTTAAAGAATATGCTGTGCTAATAATGGAGTGAGACATGCTTATTTTGCTAAAGGATGCAC
CCAAACTTCAAACCTCAAGCAAATGAAATGGACAATGCAGATAAAGTTGTTATCAACACGTC
GGGAGTATGTGTGTTAGAAGCAATTCCTTTTATTTCTTTACCTTTCATAAGTTGTTATCTA
GTCAATGTAATGATATATTGTATTGAAATTTACAGTGTGCAAAAGTATTTTACCTTTGCATAA
GTGTTTGATAAAAAATGAACTGTTCTAATATTTATTTTATGGCATCTCATTTTCAATACAT
GCTCTTTTGATTAAAGAACTTATTACTGTTGTCAACTGAATTCACACACACACAAATATAG
TACCATAGAAAAAGTTTGTCTCGAAATAATTCATCTTTCAGCTTCTCTGCTTTTGGTCA
ATGTCTAGGAAATCTCTCAGAAATAAGAAGCTATTTCAATTAAGTGTGATATAAACCTCCTC
AAACATTTTACTTAGAGGCAAGGATTGTCTAATTTCAATTGTGCAAGACATGTGCCTTATAA
TTATTTTGTAGCTTAAAATTAAACAGATTTTGTAAATAATGTAACCTTTGTTAATAGGTGCATAA
ACACTAATGCAGTCAATTTGAACAAAAGAAGTGACATACACAATATAAATCATATGTCTTCA
CACGTTGCCTATATAATGAGAAGCAGCTCTCTGAGGGTTCTGAAATCAATGTGGTCCCTCTC
TTGCCCCACTAAACAAAGATGGTTGTTTCGGGGTTTGGGATTGACACTGGAGGCAGATAGTTGC
AAAGTTAGTCTAAGGTTTCCCTAGCTGTATTTAGCCTCTGACTATATTAGTATACAAAGAGG
TCATGTGGTTGAGACCAGGTGAATAGTCACATCAGTGTGGAGACAAGCACAGCACACAGAC
ATTTTAGGAAGGAAAGGAACCTACGAAATCGTGTGAAAATGGGTTGGAACCCATCAGTGATCG
CATATTCATTGATGAGGGTTTGCTTGAGATAGAAAATGGTGGCTCCTTTCTGTCTTATCTCC
TAGTTTCTTCAATGCTTACGCCTTGTTCTTCTCAAGAGAAAGTTGTAACCTCTGGTCTTCA
TATGTCCCTGTGCTCCTTTTAAACCAATAAAGAGTTCTTGTTTCTGGGGGAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 10

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA79230

><subunit 1 of 1, 273 aa, 1 stop

><MW: 30431, pI: 6.79, NX(S/T): 3

MSRVVSLLLGAALLCGHGAFRRVVSQKVCFAADFKHPCYKMAYFHELSSRVSFQEARLACE
SEGGVLLSLENEAEQKLIESMLQNLTKPGTGISDGDFWIGLWRNGDGQTSGACPDLYQWSDG
SNSQYRNWYTDEPSCGSEKCVVMYHQPTANPGLGGPYLYQWNDDRCNMKHNYICKYEPEINP
TAPVEKPYLTNQPGDTHQNVVVTEAGIIPNLIYVVIPTIPLLLLILVAFGTCCFQMLHKSKG
RTKTSPNQSTLWISKSTRKESGMEV

Important features of the protein:

Signal peptide:

amino acids 1-21

Transmembrane domain:

amino acids 214-235

N-glycosylation sites.

amino acids 86-89 and 255-258

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 266-269

N-myristoylation sites.

amino acids 27-32, 66-71, 91-96, 93-98, 102-107, 109-114, 140-145
and 212-217

FIGURE 11

GGAGAATGAGAGAGCAGTGGAGTGGAGTCCGGGGTCTGGTCCGGGGTGGTCTGTCTGCTCCTGGCATGCCCTG
CCACAGCCACTGGGCCCCGAAGTTGCTCAGCCTGAAGTAGACACCACCCTGGGTGCTGTGCGAGGCCGGCAGGTGG
GCGTGAAGGGCACAGACCGCCTTGTGAATGTCTTTCTGGGCATTCCATTTGCCAGCCGCCACTGGGCCCTGACC
GGTCTCAGCCCCACACCCAGCACAGCCCTGGGAGGGTGTGCGGGATGCCAGCACTGCGCCCCAATGTGCCTAC
AAGACGTGGAGAGCATGAACAGCAGCAGATTTGTCTCAACGGAAAACAGCAGATCTTCTCCGTTTCAGAGGACT
GCCTGGTCTCAACGTCTATAGCCCAGCTGAGGTCCCCGAGGGTCCGGTAGGCCGGTTCATGGTATGGGTCCATG
GAGGCGCTCTGATAACTGGCGCTGCCACCTCCTACGATGGATCAGCTCTGGCTGCCTATGGGGATGTGGTCTGTGG
TTACAGTCCAGTACCGCCTTGGGGTCTTGGCTTCTTTCAGCACTGGAGATGAGCATGCACCTGGCAACCAGGGCT
TCCTAGATGTGGTAGCTGCTTTGCGCTGGGTGCAAGAAAACATCGCCCCCTTCGGGGGTGACCTCAACTGTGTCA
CTGTCTTTGGTGGATCTGCCGGTGGGAGCATCATCTCTGGCCTGGTCTGTCCCCAGTGGCTGCAGGGCTGTTCC
ACAGAGCCATCACACAGAGTGGGGTTCATCACCACCCAGGGATCATCGACTCTCACCTTGGCCCCCTAGCTCAGA
AAATCGCAAAACCTTGGCCTGCAGCTCCAGCTCCCCGGCTGAGATGGTGCAGTGCCTTCAGCAGAAAGAAGGAG
AAGAGCTGGTCTTAGCAAGAAGCTGAAAAATACTATCTATCCTCTCACCGTTGATGGCACTGTCTTCCCCAAAA
GCCCCAAGGAACCTCTGAAGGAGAAGCCCTTCCACTCTGTGCCCTTCTCATGGGTGTCAACAACCATGAGTTCA
GCTGGCTCATCCCCAGGGGCTGGGGTCTCCTGGATAAATGGAGCAGATGAGCCGGGAGGACATGCTGGCCATCT
CAACACCCGTCTTGACCACTGTGGATGTGCCCCCTGAGATGATGCCACCGTCATAGATGAATACCTAGGAAGCA
ACTCGGACGCACAAGCCAAATGCCAGGCGTTCCAGGAATTTCATGGGTGACGTATTCATCAATGTTCCACCGTCA
GTTTTTCAAGATACCTTCGAGATTCTGGAAGCCCTGTCTTTTCTATGAGTTCAGCATCGACCCAGTTCTTTTG
CGAAGATCAAACCTGCCTGGGTGAAGGTGATCATGGGGCCGAGGGTGCTTTTGTGTTGCGAGGCTTCTCCTCA
TGGACGAGAGCTCCCGCCTGGCCTTTCCAGAGGCCACAGAGGAGGAGAAGCAGCTAAGCCTACCATTGATGGCCC
AGTGGACCCACTTTGCCCCGACAGGGGACCCCAATAGCAAGGCTCTGCCTCCTTGGCCCCAATTCAACCAGGCGG
AACAATATCTGGAGATCAACCCAGTGCCACGGGCGGACAGAAGTTTCAGGGAGGCCTGGATGCAGTTCTGGTCAG
AGACGCTCCCCAGCAAGATAACAAGTGGCACCAGAAGCAGAAGAAGCAAGGAGGAGGACCTCTGAGGAGGCC
AGCCTGAACCTTCTTGGCTGGGGCAAACCACTCTTCAAGTGGTGGCAGAGTCCCAGCACGGCAGCCCGCCTCTC
CCCCTGCTGAGACTTTAATCTCCACCAGCCCTTAAAGTGTGCGGCCGCTCTGTGACTGGAGTTATGCTCTTTTGAA
ATGTCAACAAGGCCGCTCCACCTCTGGGGCATTGTACAAGTTCTTCCCTCTCCTGAAGTGCCTTCTGCTTT
CTTCGTGGTAGGTTCTAGCACATTCTCTAGCTTCTTGGAGGACTCACTCCCCAGGAAGCCTTCCCTGCCTTCTC
TGGGCTGTGCGGCCCCGAGTCTGCGTCCATTAGAGCACAGTCCACCCGAGGCTAGCACCGTGTCTGTGTCTGTCT
CCCCCTCAGAGGAGCTCTCTCAAAATGGGGATTAGCCTAACCCCACTCTGTACCCACACCAGGATCGGGTGGGA
CCTGGAGCTAGGGGGTGTGCTGAGTGTGAGTGAACACAGAATATGGGAATGGCAGCTGCTGAACCTTGAAC
CCAGAGCCTTCAGGTGCCAAGCCATACTCAGGCCCCACCGACATTGTCCACCCTGGCCAGAAGGGTGCATGCC
AATGGCAGAGACCTGGGATGGGAGAAGTCTTGGGGCGCCAGGGGATCCAGCCTAGAGCAGACCTTAGCCCCGTAC
TAAGGCCTCAGACTAGGGCGGGAGGGGTCTCCTCCTCTCTGCTGCCAGTCCCTGGCCCCCTGCACAAGACAACAGA
ATCCATCAGGGCCATGAGTGTACCCAGACCTGACCCTACCAATTCCAGCCCCCTGACCCTCAGGACGCTGGATG
CCAGCTCCCAGCCCCAGTGGCGGGTCTCCTCCTCCTTCTGGCTTGGGGAGACCAGTTTCTGGGGAGCTTCCAAG
AGCACCCACCAAGACACAGCAGGACAGGCCAGGGGAGGGCATCTGGACCAGGGCATCCGTCGGGCTATTGTCA
GAGAAAAGAAGAGACCCACCCACTCGGGCTGCAAAAGGTGAAAAGCACCAAGAGGTTTTTCAGATGGAAGTGAGAG
GTGACAGTGTGCTGGCAGCCCTCACAGCCCTCGCTTGTCTCCTTGGCGCTCTGCCTGGGCTCCCACTTTGGCA
GCACTTGAGGAGCCCTTCAACCCGCGCTGCACTGTAGGAGCCCTTTCTGGGCTGGCCAAGGCCGGAGCCAGCT
CCCTCAGCTTGGCGGGAGGTGCGGAGGGAGAGGGGCGGGCAGGAACCGGGGCTGCGCGCAGCGCTTGGGGCCAG
AGTGAAGTTCCGGGTGGGCGTGGGCTCGGCGGGGCCCCACTCAGAGCAGCTGGCCGGCCCCAGGCAGTGAGGGCCT
TAGCACCTGGGCCAGCAGCTGCTGTGCTCGATTTCTCGCTGGGCCTTAGCTGCCTCCCCGCGGGCAGGGCTCGG
GACCTGCAGCCCTCCATGCCTGACCTCCCCCACCCTCGTGGGCTCCTGTGCGGCCGAGCCTCCCCAAGGAG
CGCCGCCCCCTGCTCCACAGCGCCAGTCCCATCGACCACCAAGGGCTGAGGAGTGGGGTGCACAGCGCGGGA
CTGGCAGGCAGCTCCACCTGCTGCCCCAGTGGTGGATCCACTGGGTGAAGCCAGCTGGGCTCCTGAGTCTGGTGG
GGACTTGAGAACCTTTATGTCTAGCTAAGGGATTGTAAATACACCGATGGGCACTCTGTATCTAGCTCAAGGTT
TGTAACACACCAATCAGCACCTGTGTCTAGCTCAGTGTGTGTGAATGCACCAATCCACACTCTGTATCTGGCT
ACTCTGGTGGGGACTTGAGAACCTTTGTGTCCACACTCTGTATCTAGCTAATCTAGTGGGGATGTGGAGAACCT
TTGTGTCTAGCTCAGGGATCGTAAACGCACCAATCAGCACCTGTCAAACAGACCACTTGACTCTCTGTAAAT
GGACCAATCAGCAGGATGTGGGTGGGGCGAGACAAGAGAATAAAGCAGGCTGCCTGAGCCAGCAGTGACAACCC
CCCTCGGGTCCCCCTCCACGCCGTGGAAGCTTTGTTCTTTTCGCTCTTTGCAATAAATCTTGCTACTGCCAAAA

FIGURE 12

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA79862

><subunit 1 of 1, 571 aa, 1 stop

><MW: 62282, pI: 5.56, NX(S/T): 1

MERAVRVESGVLVGVVCLLLACPATATGPEVAQPEVDTTLGRVRGRQVGVKGTDRLVNVFLG
IPFAQPPLGPDRFSAPHPAQPWEGVRDASTAPPMCLQDVESMNSSRFVLNGKQQIFSVSEDC
LVLNVYSPAIEVPAGSGRPVMVWVHGGALITGAATSYDGSALAAYGDVVVVTVQYRLGVLGFF
STGDEHAPGNQGFLDVVAALRWVQENIAPFGGDLNCVTVFGGSAGGSIISGLVLSPVAAGLF
HRAITQSGVITTPGIIDSHPWPLAQKIAN TLACSSSSPAEMVQCLOQKEGEELVLSKKLKNT
IYPLTVDGTVPFKSPKELLKEKPFHSPFLMGVNNHEFSWLI PRGWGLLDTMEQMSREDMLA
ISTPVLTSLDVPPPEMMPTVIDEYLG SNSDAQAKCQAFQEFMGDVFINVPTVSFSRYLRDGS
PVFFYEFQHRPSSFAKIKPAWVKADHGAEGAFVFGGPF LMDESSRLAFPEATEEEKQLSLTM
MAQWTHFARTGDPNSKALPPWPQFNQAEQYLEINPVPRAGQKFREAWMQFWSETLPSKIQQW
HQKQKNRKAQEDL

Important features of the protein:

Signal peptide:

amino acids 1-27

Transmembrane domain:

amino acids 226-245

N-glycosylation site.

amino acids 105-109

N-myristoylation sites.

amino acids 10-16, 49-55, 62-68, 86-92, 150-156, 155-161,
162-168, 217-223, 227-233, 228-234, 232-238, 262-268, 357-363,
461-467

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 12-23

Carboxylesterases type-B serine active site.

amino acids 216-232

FIGURE 13

CATGGAGCCTCTTGCAGCTTACCCGCTAAATGTTCCGGGCCCAGAGCAAAGGTATTTGCAG
TTTTGCTGTCTATAGTTCTATGCACAGTAACGCTATTTCTTCTACAACATAAAATTCCTCAA
CCTAAAATCAACAGCTTTTATGCCTTTGAAGTGAAGGATGCAAAAGGAAGAACTGTTTCTCT
GGAAAAGTATAAAGGCAAAGTTTCACTAGTTGTAAACGTGGCCAGTGACTGCCAACTCACAG
ACAGAAATTACTTAGGGCTGAAGGAACTGCACAAAGAGTTTGGACCATCCCACCTCAGCGTG
TTGGCTTTTCCCTGCAATCAGTTTGGAGAATCGGAGCCCCGCCAAGCAAGGAAGTAGAATC
TTTTGCAAGAAAAAACTACGGAGTAACTTTCCCCATCTTCCACAAGATTAAGATTCTAGGAT
CTGAAGGAGAACCTGCATTTAGATTTCTTGTTGATTCTTCAAAGAAGGAACCAAGGTGGAAT
TTTTGGAAGTATCTTGTCAACCCTGAGGGTCAAGTTGTGAAGTTCTGGAGGCCAGAGGAGCC
CATTGAAGTCATCAGGCCTGACATAGCAGCTCTGGTTAGACAAGTGATCATAAAAAAGAAAG
AGGATCTA**TGA**GAAATGCCATTGCGTTTCTAATAGAACAGAGAAATGTCTCCATGAGGGTTTG
GTCTCATTTTAAACATTTTTTTTTTTGGAGACAGTGTCTCACTCTGTCACCCAGGCTGGAGTG
CAGTAGTGC GTTCTCAGCTCATTGCAACCTCTGCCTTTTTTAAACATGCTATTAAATGTGGCA
ATGAAGGATTTTTTTTTTAATGTTATCTTGCTATTAAGTGGTAATGAATGTTCCCAGGATGAG
GATGTTACCCAAAGCAAAAATCAAGAGTAGCCAAAGAATCAACATGAAATATATTAACACT
TCCTCTGACCATACTAAAGAATTCAGAATACACAGTGACCAATGTGCCTCAATATCTTATTG
TTCAACTTGACATTTTCTAGGACTGTACTTGATGAAAATGCCAACACACTAGACCACTCTTT
GGATTCAAGAGCACTGTGTATGACTGAAATTTCTGGAATAACTGTAAATGGTTATGTTAATG
GAATAAAACACAAATGTTGAAAAATGTAAAATATATATACATAGATTCAAATCCTTATATAT
GTATGCTTGTTTTGTGTACAGGATTTTGTCTTTTCTTTTAAAGTACAGGTTCTAGTGTTTT
ACTATAACTGTCACATATGTATGTAAGTACATATATAAATAGTCATTTATAAATGACCGTAT
TATAACATTTGAAAAAGTCTTCATCAAAAAAAAAAAAAA

FIGURE 14

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA80136

><subunit 1 of 1, 209 aa, 1 stop

><MW: 23909, pI: 9.68, NX(S/T): 0

MEPLAAYPLKCSGPRAKVFAVLLSIVLCTVTLFLLQLKFLKPKINSFYAFEVKDAKGRTVSL
EKYKGKVSLLVNVASDCQLTDRNYLGLKELHKEFGPSHFVLAFFPCNQFGESEPRPSKEVES
FARKNYGVTFPIFHKIKILGSEGEPAFRFLVDSSKKEPRWNFWKYLVNPEGQVVKFWRPEEP
IEVIRPDIAALVRQVVIKKKEDL

Important features of the protein:

Signal peptide:

amino acids 1-31

Glutathione peroxidases signature 2.

amino acids 104-112

Glutathione peroxidases.

amino acids 57-82

bioRxiv preprint doi: <https://doi.org/10.1101/000000>; this version posted January 1, 2014. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

FIGURE 15

TGTCGCCTGGCCCTCGCCATGCAGACCCCGCGAGCGTCCCCTCCCCGCCCCGCCCTCCTGCTTCTGCTGCTGCTA
CTGGGGGGGCGCCACGGCCTCTTTCTGAGGAGCGCGCGCGCTTAGCGTGGCCCCCAGGGACTACCTGAACCA
TATCCCGTGTGTTGTGGGCAGCGGGCCCGGACGCCTGACCCCGCAGAAGGTGCTGACGACCTCAACATCCAGCGA
GTCTTGCGGGTCAACAGGACGCTGTTTATTGGGGACAGGGACAACCTCTACCGCGTAGAGCTGGAGCCCCCAGC
TCCACGGAGCTGCGGTACCAGAGGAAGCTGACCTGGAGATCTAACCCAGCGACATAAACGTGTGTGCGGATGAAG
GGCAAACAGGAGGGCGAGTGTCTGAAACTTCGTAAAGGTGCTGCTCCTTCGGGACGAGTCCACGCTCTTTGTGTGC
GGTTCCAACGCCTTCAACCCGGTGTGCGCCAACCTACAGCATAGACACCCCTGCAGCCCGTGGAGACAACATCAGC
GGTATGGCCCGCTGCCCCGTACGACCCCAAGCAGGCCAATGTTGCCCTCTTCTCTGACGGGATGCTCTTACAGCT
ACTGTTACCGACTTCTTAGCCATTGATGCTGTCTATCTACCGCAGCCTCGGGGACAGGCCCCACCTGCGCACCGTG
AAACATGACTCCAAGTGGTTCAAAGAGCCTTACTTTGTCCATGCGGTGGAGTGGGGCAGCCATGTCTACTTCTTC
TTCCGGGAGATTGCGATGGAGTTTAACTACCTGGAGAAGGTGGTGGTGTCCCGCGTGGCCCGAGTGTGCAAGAAC
GACGTGGGAGGCTCCCCCGGTGCTGGAGAAGCAGTGGACGTCTTCTGAAGGCGCGGCTCAACTGCTCTGTA
CCCGGAGACTCCCATTCTTCAACGTGCTGCAAGGTGTACGGGCGTGGTACGCTCGGGGGCGGGCCCGTGT
GTCTTGGCCGTTTTTTTCCACGCCCAGCAACAGCATCCCTGGCTCGGCTGTCTGCGCCTTTGACCTGACACAGGTG
GCAGCTGTGTTTGAAGGCCGCTTCCGAGAGCAGAAGTCCCCGAGTCCATCTGGACGCCGGTGGCGGAGGATCAG
GTGCTCGACCCCGGGCCGGGTGCTGCGCAGCCCCCGGGATGCAGTACAAATGCTCCAGCGCTTGGCGGATGAC
ATCCTCAACTTTGTCAAGACCCACCTCTGATGGACGAGGCGGTGCCCTCGCTGGGCCATGCGCCCTGGATCCTG
CGGACCTGATGAGGCACAGCTGACTCGAGTGGCTGTGGACGTGGGAGCCGGCCCTGGGGCAACCAGACCGTT
GTCTTCTCGGGTTCTGAGGCGGGGACGCTCCTCAAGTTCCCTCGTCCGGCCCAATGCCAGCACCTCAGGGACGTCT
GGGCTCAGTGTCTTCTGGAGGAGTTTGAACCTACCGGCCGGACAGGTGTGGACGGCCCCGGGGGCGGAGACA
GGGAGCGGCTGCTGAGCTTGGAGCTGGACGAGCTTCCGGGGGCGCTGCTGGCTGCCTTCCCCCGCTGCGTGGT
CGAGTGCCTGTGGCTCGCTGCCAGCACTCTCGGGGTGTATGAAGAACTGTATCGGCACTCAGGACCCCTACTGC
GGGTGGGCCCCGACGGCTCCTGCATCTTCTCAGCCCCGGGCACCAAGAGCCGCTTTGAGCAGGACGTGTCCGGG
GCCAGCACCTCAGGCTTAGGGGACTGCACAGGACTCCTGCGGGCAGCCTCTCCGAGGACCGCGCGGGGCTGGT
TCGGTGAACCTGCTGTTAACCCTCGTGGTGGCGGCCCTTCGTGGTGGGAGCCGTGGTGTCCGGCTTACGCTGGG
TGGTTCTGTTGGGCTCCGTGAGCGGGGAGCTGGCCCGGCGCAAGGACAAGGAGGCCATCCTGGCGCACGGGGCG
GGCGAGGCGGTGCTGAGCGTACGCCCTGGGCGAGCGCAGGGCGCAGGGTCCCGGGGGCGGGGGCGGAGGCGGT
GGCGGTGGCGCCGGGGTTCCCCCGGAGGCCCTGCTGGCGCCCCCTGATGCAGAACGGCTGGGCCAAGGCCACGCTG
CTGCAGGGCGGGCCCCACGACCTGGACTCGGGGCTGCTGCCACGCCCCGAGCAGACGCCGCTGCCGCAAGCGC
CTGCCCCATCCGCACCCGCACCCCTGGGCCCCCGCGCTGGGACCACGGCCACCCCTGCTCCCGGCC
TCCGCTTCATCCTCCCTCCTGCTGTGGCGCCCCCGGGCCCCCGAGCAGCCCCCGCGCCTGGGGAGCCGACC
CCGACGGCCGCTCTATGCTGCCGGCCCCGGCGCGCCTCCACGGCGACTTCCCGCTCACCCCCACGCCAGC
CCGACCGCCGGCGGGTGGTGTCCGCGCCACGGGCCCTTGGACCCAGCCTCAGCCGCGGATGGCCTCCCGCGG
CCCTGGAGCCCCGCCCCGACGGGCAGCTGAGGAGGCCACTGGGCCCCCAGCCCCCTCCGGCCGCCACCTGCGC
CGCACCCACAGTTCAACAGCGGCGAGGCCCGGCTGGGGACCGCCACCGCGGCTGCCACGCCCGGCCGGGACACA
GACTTGGCCCACTCCTCCCCCTATGGGGGGGCGGACAGGACTGCGCCCCCGTCCCCTAGGCCCCGGGGCCCCCG
ATGCCCTTGGCAGTGCCAGCCACGGGAACCAGGAGCGAGAGACGGTGCCAGAACGCCGGGGCCCCGGGGCAACTCCG
AGTGGGTGCTCAAGTCCCCCGCGACCCACCCGCGGAGTGGGGGGCCCCCTCCGCCACAAGGAAGCACAACAG
CTCGCCCTCCCCCTACCCGGGGCGCAGGACGCTGAGACGTTTGGGGGTGGGTGGGCGGGAGGACTTTGCTATG
GATTTGAGGTTGACCTTATGCGCGTAGGTTTTTGGTTTTTTTTTTCAGTTTGTGGTTTTCTTTTTCGCGTTTTCTAAC
AATTGCACAACCTCCGTTCTCGGGGTGGCGGCAGGCAGGGGAGGCTTGGACGCCGGTGGGGAATGGGGGGCCACAG
CTGCAGACCTAAGCCCTCCCCACCCCTGGAAAGTCCCTCCCCAACCCAGGCCCTGGCGGTGTGTGGGTGTGCG
TGCGTGTGCGTGCCGTGTTCTGTGTGCAAGGGGCGGGGAGGTGGGCGTGTGTGTGCGTGCCAGCGAAGGCTGCTG
TGGGCGTGTGTGTAAGTGGGCCACGCGTGCAGGGTGTGTGTCCAGAGCGACGATCGTGGTGGCCCCAGCGGCC
TGGGCGTTGGCTGAGCCGACGCTGGGGCTTCCAGAAGGCCCGGGGTCTCCGAGGTGCCGGTTAGGAGTTTGAAC
CCCCCCTCTGCAAGGGAAGCGGGGACAATGCCGGGGTTTCAAGCAGGAGACACGAGGAGGGCCTGCCCGGA
AGTCACATCGGCAGCAGCTGTCTAAAGGGCTTGGGGGCTGGGGGGCGGCAAGGTGGGTGGGGCCCCCTCTGTAA
ATACGGCCCCAGGGTGGTGAGAGAGTCCCATGCCACCCGTCCCCTTGTGACCTCCCCCTATGACCTCCAGCTGA
CCATGCATGCCACGTGGCTGGCTGGGTCTCTGCCCTCTTTGGAGTTTGCCTCCCCAGCCCCCTCCCCATCAAT
AAAACCTCTGTTTACAACCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 16

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA80145

><subunit 1 of 1, 888 aa, 1 stop

><MW: 95285, pI: 8.89, NX(S/T): 8

MQTPRASPPRPALLLLLLLLGGAHGLFPEEPPPLSVAPRDYLNHYPVFVVGSGPGRLTPAEGA
DDLNIQRLRVNRTLFIGDRDNLRYVELEPPTSTELRYQRKLTWRSNPSDINVCRMKGKQEG
ECRNFKVLLLRDESTLFVCGSNAFNPVCANYSIDTLQPVGDNISGMARCPYDPKHANVALF
SDGMLFTATVTDFLAIDAVIYRSLGDRPTLRTVKHDSKWFKEPYFVHAVEWGSFVYFFFREI
AMEFNYLEKVVVSRVARVCKNDVGGSPRVLEKQWTSFLKARLNCSVPGDSHFYFNVLQAVTG
VVS LGGRPVLAVFSTPSNSIPGSAVCAFDLTQVAAVFEGRFREQKS PESIWTVPEDQVPR
PRPGCCAAPGMQYNASSALPDDILNFVKTHPLMDEAVPSLGHPWILRTLMRHQLTRVAVDV
GAGPWGNQTVVFLGSEAGTVLKLVRPNASTSGTSGLSVFLEEFETYRPDRCGRPGGGETGQ
RLLSLELDAASGGLLAAPRCVVRVPVARCQQYSGCMKNCIGSQDPYCGWAPDGSCIFLSPG
TRAAFEQDVSGASTSGLGDCTGLLRASLSEDRAGLVSVNLLVTSSVAAFVVGAVVSGFSVGW
FVGLRERRELARRKDKEAILAHGAGEAVLSVSR LGERRAQPGGGRGGGGGGGAGVPPEALLA
PLMQNGWAKATLLQGGPHDLDSGLLPTPEQTPLPQKRLPTPHPHPHALGPRAWDHGHPLLP
SASSSLLLLAPARAPEQPPAPGEPTPDGRLYAARPGRASHGDFPLTPHASPDRRRRVVSAPT
PLDPASAADGLPRPWSPPPTGSLRRPLGPHAPPAATLRRTHTFNSGEARPGDRHRGCHARPG
TDLAHL L PYGGADRTAPPVP

Important features of the protein:

Signal peptide:

amino acids 1-25

Transmembrane domains:

amino acids 318-339, 598-617

N-glycosylation sites.

amino acids 74-78, 155-159, 167-171, 291-295, 386-390, 441-445,
462-466

Glycosaminoglycan attachment sites.

amino acids 51-55, 573-577

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 102-106

N-myristoylation sites.

amino acids 21-27, 50-56, 189-195, 333-339, 382-388, 448-454,
490-496, 491-497, 508-514, 509-515, 531-537, 558-564, 569-575,
574-580, 580-586, 610-616, 643-649, 663-669, 666-672, 667-673,
668-674, 669-675, 670-676, 868-874, 879-885

FIGURE 17

AGCAACTCAAGTTCATCATTGTCCTGAGAGAGAGGAGCAGCGCGTTCTCGGCCGGGACAGC
AGAACGCCAGGGGACCCTCACCTGGGCGCGCCGGGGCACGGGCTTTGATTGTCCTGGGGTGC
CGGAGACCCGCGCGCCTGCCCTGCACGCCGGGCGGCAACCTTTGCAGTCGCGTTGGCTGCTG
CGATCGGCCGGCGGGTCCCTGCCGAAGGCTCGGCTGCTTCTGTCCACCTCTTACACTTCTTC
ATTTATCGGTGGATCATTTCGAGAGTCCGTCTTGTAATGTTTGGCACTTTGCTACTTTATT
GCTTCTTTCTGGCGACAGTTCCAGCACTCGCCGAGACCGGCGGAGAAAGGCAGCTGAGCCCC
GAGAAGAGCGAAATATGGGGACCCGGGCTAAAAGCAGACGTCGTCCTTCCCGCCCGCTATTT
CTATATTCAGGCAGTGGATACATCAGGGAATAAATTACATCTTCTCCAGGCGAAAAGGTCT
TCCAGGTGAAAGTCTCAGCACCAGAGGAGCAATTCAGTAGAGTTGGAGTCCAGGTTTTAGAC
CGAAAAGATGGGTCCTTCATAGTAAGATACAGAATGTATGCAAGCTACAAAAATCTGAAGGT
GGAAATTAAATTCCAAGGGCAACATGTGGCCAAATCCCCATATATTTTAAAAGGGCCGGTTT
ACCATGAGAACTGTGACTGTCCTCTGCAAGATAGTGCAGCCTGGCTACGGGAGATGAACTGC
CCTGAAACCATTGCTCAGATTCAGAGAGATCTGGCACATTTCCCTGCTGTGGATCCAGAAAA
GATTGCAGTAGAAATCCCAAAAAGATTTGGACAGAGGCAGAGCCTATGTCACTACACCTTAA
AGGATAACAAGGTTTATATCAAGACTCATGGTGAACATGTAGGTTTTAGAATTTTCATGGAT
GCCATACTACTTTCTTTGACTAGAAAGGTGAAGATGCCAGATGTGGAGCTCTTTGTTAATTT
GGGAGACTGGCCTTTGGAAAAAAGAAATCCAATTCAAACATCCATCCGATCTTTTCTGGT
GTGGCTCCACAGATTCCAAGGATATCGTGATGCCTACGTACGATTTGACTGATTCTGTTCTG
GAAACCATGGGCCGGGTAAAGTCTGGATATGATGTCCGTGCAAGCTAACACGGGTCCTCCCTG
GGAAAGCAAAAATTCAGTCCGTCTGGAGAGGGCGAGACAGCCGCAAAGAGAGACTCGAGC
TGGTTAAACTCAGTAGAAAACACCCAGAACTCATAGACGCTGCTTTCACCAACTTTTTCTTC
TTTAAACACGATGAAAACCTGTATGGTCCCATTTGTGAAACATATTTTCAATTTTTTGATTTCTT
CAAGCATAAGTATCAAATAAATATCGATGGCACTGTAGCAGCTTATCGCCTGCCATATTTGC
TAGTTGGTGACAGTGTTGTGCTGAAGCAGGATTCCATCTACTATGAACATTTTTTACAATGAG
CTGCAGCCCTGGAAACACTACATTCCAGTTAAGAGCAACCTGAGCGATCTGCTAGAAAAACT
TAAATGGGCGAAAGATCACGATGAAGAGGCCAAAAAGATAGCAAAAGCAGGACAAGAATTTG
CAAGAAATAATCTCATGGGCGATGACATATTCTGTTATTATTTCAAACTTTTCCAGGAATAT
GCCAATTTACAAGTGAGTGAGCCCCAAATCCGAGAGGGCATGAAAAGGGTAGAACCACAGAC
TGAGGACGACCTCTTCCCTTGTACTTGCCATAGGAAAAAGACCAGATGAACTCTGATATG
CAAAATAACTTCTATTAGAATAATGGTGCTCTGAAGACTCTTCTTAACTAAAAAGAAGATT
TTTTTAAGTATTAATTCATGGACAATATAAAATCTGTGTGATTGTTTGCAGTATGAAGACA
CATTTCTACTTATGCAGTATTCTCATGACTGTACTTTAAAGTACATTTTTTAGAATTTTATAA
TAAACCACCTTTATTTTAAAGGAAAAAA

FIGURE 18

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA84917

><subunit 1 of 1, 502 aa, 1 stop

><MW: 58043, pI: 7.94, NX(S/T): 2

MFGTLLLYCFFLATVPALAETGGERQLSPEKSEIWGPGLKADVVLPAFYFYIQAVDTSGNKF
TSSPGEKVFQVKVSAPEEQFTRVGVQVLDRKDGSFIVRYRMYASYKNLKVEIKFQGQHVAKS
PYILKGPVYHENCDCPLQDSAAWLREMNCPETIAQIQRDLAHFPAVDPEKIAVEIPKRFGQR
QSLCHYTLKDNKVYIKTHGEHVGFRIFMDAILLSLTRKVKMPDVELFVNLGDWPLEKKKSNS
NIHPIFSWCGSTDSKDIVMPTYDLTDSVLETMGRVSLDMMSVQANTGPPWESKNSTAVWRGR
DSRKERLELVKLSRKHPELIDAAFTNFFFFKHDENLYGPIVKHISFFDFFKHKYQINIDGTV
AAYRLPYLLVGDSVVLKQDSIYYEHFYNELQPWKHYIPVKSNLSDLLEKLKWAKDHDEEAKK
IAKAGQEFARNNLMGDDIFCYYFKLFQEYANLQVSEPQIREGMKRVEPQTEDDLFPCTCHRK
KTKDEL

Important features of the protein:

Signal peptide:

amino acids 1-17

N-glycosylation sites.

amino acids 302-306, 414-418

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 243-247, 495-499

Tyrosine kinase phosphorylation site.

amino acids 341-348

N-myristoylation sites.

amino acids 59-65, 118-124, 184-190, 258-264, 370-376, 439-445

Endoplasmic reticulum targeting sequence.

amino acids 499-504

FIGURE 19

CCTGGAGCCGGAAGCGCGGCTGCAGCAGGGCGAGGCTCCAGGTGGGGTCGGTTCCGCATCCA
GCCTAGCGTGTCACGATGCGGCTGGGCTCCGGGACTTTCGCTACCTGTTGCGTAGCGATCG
AGGTGCTAGGGATCGCGGTCTTCCTTCGGGGATTCTTCCCGGCTCCCGTTCGTTCTCTGCC
AGAGCGGAACACGGAGCGGAGCCCCAGCGCCCGAACCCTCGGCTGGAGCCAGTTCTAACTG
GACCACGCTGCCACCACCTCTCTTCAGTAAAGTTGTTATTGTTCTGATAGATGCCTTGAGAG
ATGATTTTGTGTTTGGGTCAAAGGGTGTGAAATTTATGCCCTACACAACTTACCTTGTGGAA
AAAGGAGCATCTCACAGTTTTTGTGGCTGAAGCAAAGCCACCTACAGTTACTATGCCTCGAAT
CAAGGCATTGATGACGGGGAGCCTTCCTGGCTTTGTGACGTCATCAGGAACCTCAATTCTC
CTGCACTGCTGGAAGACAGTGTGATAAGACAAGCAAAGCAGCTGGAAAAAGAATAGTCTTT
TATGGAGATGAAACCTGGGTAAATTAATCCCAAAGCATTTTGTGGAATATGATGGAACAAC
CTCATTTTTCTGTGTCAGATTACACAGAGGTGGATAATAATGTCACGAGGCATTTGGATAAAG
TATTAAAAAGAGGAGATTGGGACATATTAATCCTCCACTACCTGGGGCTGGACCACATTGGC
CACATTTAGGGCCCCAACAGCCCCCTGATTGGGCAGAAGCTGAGCGAGATGGACAGCGTGCT
GATGAAGATCCACACCTCACTGCAGTCGAAGGAGAGAGAGACGCCTTTACCCAATTTGCTGG
TTCTTTGTGGTGACCATGGCATGTCTGAAACAGGAAGTCACGGGGCCTCCTCCACCGAGGAG
GTGAATACACCTCTGATTTTAATCAGTTCTGCGTTTGAAAGGAAACCCGGTGATATCCGACA
TCCAAAGCACGTCCAATAGACGGATGTGGCTGCGACACTGGCGATAGCACTTGGCTTACCGA
TTCCAAAAGACAGTGTAGGGAGCCTCCTATTCAGTTGTGGAAGGAAGACCAATGAGAGAG
CAGTTGAGATTTTTACATTTGAATACAGTGCAGCTTAGTAACTGTTGCAAGAGAATGTGCC
GTCATATGAAAAAGATCCTGGGTTTGAGCAGTTTAAATGTCAGAAAGATTGCATGGGAACT
GGATCAGACTGTACTTGGAGGAAAAGCATTGAGAGTCTTCAACCTGGGCTCCAAGGTT
CTCAGGCAGTACCTGGATGCTCTGAAGACGCTGAGCTTGTCCCTGAGTGCACAAGTGGCCCA
GTTCTCACCTGCTCCTGCTCAGCGTCCACAGGCACTGCACAGAAAGGCTGAGCTGGAAGT
CCCCTGTCTCTCTGGGTTTTCTCTGCTCTTTATTTGGTGATCCTGGTTCTTTCGGCCG
TTCACGTCATTGTGTGCACCTCAGCTGAAAGTTGCTGCTACTTCTGTGGCCTCTCGTGGCTG
GCGGCAGGCTGCCTTTCGTTTACCAGACTCTGGTTGAACACCTGGTGTGTGCCAAGTGTGG
CAGTGCCCTGGACAGGGGGCCTCAGGGAAGGACGTGGAGCAGCCTTATCCAGGCCTCTGGG
TGTCCCGACACAGGTGTTACATCTGTGCTGTCAGGTGAGTGCCTCAGTTCTTGGAAGCT
AGGTTCTGCGACTGTTACCAAGGTGATTGTAAAGAGCTGGCGGTACAGAGGAACAAGCCC
CCCAGCTGAGGGGGTGTGTAATCGGACAGCCTCCAGCAGAGGTGTGGGAGCTGCAGCTGA
GGGAAGAAGAGACAATCGGCCTGGACACTCAGGAGGGTCAAAGGAGACTTGGTGCACCAC
TCATCCTGCCACCCCAAGATGCATCCTGCCTCATCAGGTCCAGATTTCTTTCCAAGGCGGA
CGTTTTCTGTTGGAATTCTTAGTCTTGGCCTCGGACACCTTCATTCGTTAGCTGGGGAGTG
GTGGTGAGGCAGTGAAGAAGAGGCGGATGGTCACACTCAGATCCACAGAGCCCAGGATCAAG
GGACCACTGCAGTGGCAGCAGGACTGTTGGGCCCCCAACCTGCACAGCCCTCATC
CCCTCTTGGCTTGAGCCGTGAGAGCCCTGTGCTGAGTGTCTGACCGAGACACTCACAGCTT
TGTCATCAGGGCACAGGCTTCCTCGGAGCCAGGATGATCTGTGCCACGCTTGCACCTCGGGC
CCATCTGGGCTCATGCTCTCTCTGCTATTGAATTAGTACCTAGCTGCACACAGTATGTA
GTTACCAAAAGAATAAACGGCAATAATTGAGAAAAAAA

FIGURE 20

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA84920

><subunit 1 of 1, 310 aa, 1 stop

><MW: 33875, pI: 7.08, NX(S/T): 2

MRLGSGTFATCCVAIEVLGIAVFLRGFFPAPVRSSARAEGAEPPAPEPSAGASSNWTTLPP
PLFSKVVIVLIDALRDDFVFGSKGVKFMPYTTYLVEKGASHSFVAEAKPPTVTMPRIKALMT
GSLPGFVDVIRNLNSPALLEDVIRQAKAAGKRIVFYGDETWVKLFPKHFVEYDGTTSFFVS
DYTEVDNNVTRHLDKVLKRGDWDILILHYLGLDGHIGHISGPN SPLIGQKLSEMDSVLMKIHT
SLQSKERETPLPNLLVLCGDHGMSETGSHGASSTEEVNTPLILISSAFERKPGDIRHPKHVQ

Important features of the protein:

Signal peptide:

amino acids 1-34

Transmembrane domain:

amino acids 58-76

N-glycosylation sites.

amino acids 56-60, 194-198

N-myristoylation sites.

amino acids 6-12, 52-58, 100-106, 125-131, 233-239, 270-276,
275-281, 278-284

Amidation site.

amino acids 154-158

Cell attachment sequence.

amino acids 205-208

FIGURE 21

AGCCAGGCAGCACATCACAGCGGGAGGAGCTGTCCCAGGTGGCCCAGCTCAGCA**ATG**GCAAT
GGGGGTCCCCAGAGTCATTCTGCTCTGCCTCTTTGGGGCTGCGCTCTGCCTGACAGGGTCCC
AAGCCCTGCAGTGCTACAGCTTTGAGCACACCTACTTTGGCCCCCTTTGACCTCAGGGCCATG
AAGCTGCCCAGCATCTCCTGTCTCATGAGTGCTTTGAGGCTATCCTGTCTCTGGACACCGG
GTATCGCGCGCCGGTGACCCTGGTGCGGAAGGGCTGCTGGACCGGGCCTCCTGCGGGCCAGA
CGCAATCGAACCCGGACGCGCTGCCGCCAGACTACTCGGTGGTGCGCGGCTGCACAACTGAC
AAATGCAACGCCCACCTCATGACTCATGACGCCCTCCCCAACCTGAGCCAAGCACCCGACCC
GCCGACGCTCAGCGGCGCCGAGTGCTACGCCTGTATCGGGGTCCACCAGGATGACTGCGCTA
TCGGCAGGTCCCGACGAGTCCAGTGTCACCAGGACCAGACCGCCTGCTTCCAGGGCAGTGGC
AGAATGACAGTTGGCAATTTCTCAGTCCCTGTGTACATCAGAACCTGCCACCGGCCCTCCTG
CACCACCGAGGGCACCACCAGCCCCTGGACAGCCATCGACCTCCAGGGCTCCTGCTGTGAGG
GGTACCTCTGCAACAGGAAATCCATGACCCAGCCCTTCACCAGTGCTTCAGCCACCACCCCT
CCCCGAGCACTACAGGTCCTGGCCCTGCTCCTCCCAGTCCTCCTGCTGGTGGGGCTCTCAGC
ATAGACCGCCCCTCCAGGATGCTGGGGACAGGGCTCACACACCTCATTCTTGCTGCTTCAGC
CCCTATCACATAGCTCACTGGAAAATGATGTTAAAGTAAGAATTGCAAAA

FIGURE 22

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA86576

><subunit 1 of 1, 251 aa, 1 stop

><MW: 26935, pI: 7.42, NX(S/T): 2

MAMGVPRVILLCLFGAALCLTGSQALQCYSFEHTYFGPFDLRAMKLPSISCPHECFEAILSL
DTGYRAPVTLVRKGCWTGPPAGQTQSNPDALPPDYSVVRGCTTDKCNAHLMTHDALPNLSQA
PDPPTLSGAECYACIGVHQDDCAIGRSRRVQCHQDQTACFQSGRMTVGNFSVPVYIIRTCHR
PSCCTTEGTTSPWTAIDLQGSCCEGYLCNRKSMTQPFTSASATTPPRALQVLALLLPVLLLVGLSA

Important features of the protein:

Signal peptide:

amino acids 1-19

Transmembrane domain:

amino acids 233-251

N-glycosylation sites.

amino acids 120-124, 174-178

N-myristoylation sites.

amino acids 15-21, 84-90

FIGURE 23

CCCACGCGTCCGGGACAGATGAACTTAAAAGAGAAGCTTTAGCTGCCAAAGATTGGGAAAGG
GAAAGGACAAAAAAGACCCCTGGGCTACACGGCGTAGGTGCAGGGTTTCCTACTGCTGTTCT
TTTATGCTGGGAGCTGTGGCTGTAACCAACTAGGAAATAACGTATGCAGCAGCT**ATG**GCTGT
CAGAGAGTTGTGCTTCCCAAGACAAAGGCAAGTCCTGTTTCTTTTTCTTTTTTGGGGAGTGT
CCTTGGCAGGTTCTGGGTTTGGACGTTATTCGGTGACTGAGGAAACAGAGAAAGGATCCTTT
GTGGTCAATCTGGCAAAGGATCTGGGACTAGCAGAGGGGGAGCTGGCTGCAAGGGGAACCAG
GGTGGTTTCCGATGATAACAAACAATACCTGCTCCTGGATTACATACCGGGAATTTGCTCA
CAAATGAGAACTGGACCGAGAGAAGCTGTGTGGCCCTAAAGAGCCCTGTATGCTGTATTTC
CAAATTTTAATGGATGATCCCTTTCAGATTTACCGGGCTGAGCTGAGAGTCAGGGATATAAA
TGATCACGCGCCAGTATTTTCAGGACAAAGAAACAGTCTTAAAAATATCAGAAAATACAGCTG
AAGGGACAGCATTTAGACTAGAAAGAGCACAGGATCCAGATGGAGGACTTAACGGTATCCAA
AACTACACGATCAGCCCCAACTCTTTTTTCCATATTAACATTAGTGGCGGTGATGAAGGCAT
GATATATCCAGAGCTAGTGTGGACAAAGCACTGGATCGGGAGGAGCAGGGAGAGCTCAGCT
TAACCCTCACAGCGCTGGATGGTGGGTCTCCATCCAGGTCTGGGACCTCTACTGTACGCATC
GTTGTCTTGGACGTCAATGACAATGCCCCACAGTTTGGCCAGGCTCTGTATGAGACCCAGGC
TCCAGAAAACAGCCCCATTGGGTTCCCTTATTGTTAAGGTATGGGCAGAAGATGTAGACTCTG
GAGTCAACGCGGAAGTATCCTATTCATTTTTGTATGCCTCAGAAAATATTCGAACGACCTTT
CAAATCAATCCTTTTTCTGGGGAAATCTTTCTCAGAGAATTGCTTGATTATGAGTTAGTAAA
TTCTTACAAAATAAATATACAGGCAATGGACGGTGGAGGCCTTTCTGCAAGATGTAGGGTTT
TAGTGGAAGTATTGGACACCAATGACAATCCCCCTGAACTGATCGTATCATCATTTTCCAAC
TCTGTTGCTGAGAATTCTCCTGAGACGCCGCTGGCTGTTTTTAAGATTAATGACAGAGACTC
TGGAGAAAATGGAAAGATGGTTTGTACATTCAAGAGAATCTGCCATTCTACTAAAACCTT
CTGTGGAGAATTTTACATCCTAATTACAGAAGGCGCGCTGGACAGAGAGATCAGAGCCGAG
TACAACATCACTATCACCGTCACTGACTTGGGGACACCCAGGCTGAAAACCGAGCACAAAT
AACGGTCCCTGGTCTCCGACGTCAATGACAACGCCCCCGCCTTCACCCAAACCTCCTACACCC
TGTTTCGTCCGCGAGAACAACAGCCCCGCCCCGCTGCACATCGGCAGCGTCAGCGCCACAGACAGA
GACTCGGGCACCAACGCCCAGGTACCTACTCGCTGCTGCCGCCCAAGACCCGCACCTGCC
CCTCGCCTCCCTGGTCTCCATCAACGCGGACAACGGCCACCTGTTCCGCCCTCAGGTCGCTGG
ACTACGAGGCCCTGCAGGCTTTCGAGTTCGCGCTGGGCGCCACAGACCGCGGCTCCCCCGCG
CTGAGCAGAGAGGCGCTGGTGC GCGTGTGCTGGTGTGCTGGACGCCAACGACAACCTCGCCCTTCGT
GCTGTACCCGCTGCAGAACGGCTCCGCGCCCTGCACCGAGCTGGTGGCCCGGGCGGCCGAGC
CGGGCTACCTGGTGACCAAGGTGGTGGCGGTGGACGGCGACTCGGGCCAGAACGCCTGGCTG
TCGTACCAGCTGCTCAAGGCCACGGAGCCCCGGGCTGTTGCGTGTGTGGGCGCACAAATGGGGA
GGTGCGCACCGCCAGGCTGCTGAGCGAGCGCGACGACGCCAAGCACAGGCTCGTGGTGTGTTG
TCAAGGACAATGGCGAGCCTCCTCGCTCGGCCACCGCCACGCTGCACCTTGCTCCTGGTGGAC
GGCTTCTCCCAGCCCTACCTGCCTCTCCCGGAGGCGGCCCGGCCAGGCCAGGCCGAGGC
CGACTTGCTCACCGTCTACCTGGTGGTGGCGTTGGCCTCGGTGTCTTCGCTCTTCCTCCTCT
CGGTGCTCCTGTTTCGTGGCGGTGCGGCTGTGCAGGAGGAGCAGGGCGGCCTCGGTGGGTGCG
TGCTCGGTGCCCCGAGGGTCTTTTTCCAGGGCATCTGGTGGACGTGAGGGGCGCTGAGACCCT
GTCCCAGAGCTACCAGTATGAGGTGTGCTGACGGGAGGCCCGGGACCAGTGAGTTCAAGT
TCTTGAAACCAGTTATTTTCGGATATTCAGGCACAGGGCCCTGGGAGGAAGGGTGAAGAAAAT
TCCACCTTCCGAAATAGCTTTGGATTTAATATTCA**GTAA**AGTCTGTTTTTAGTTTCATATAC
TTTTGGTGTGTACATAGCCATGTTTCTATTAGTTTACTTTTAAATCTCAAATTTAAGTTAT
TATGCAACTTCAAGCATTATTTTCAAGTAGTATACCCCTGTGGTTTTACAATGTTTCATCAT
TTTTTTGCTATTAATAACAACTGGGTTTAAATTTAATGAGTATTTTTTTCTAAATGATAGTGTT
AAGGTTTTTAATTCCTTCCAACCTGCCAAGGAATTAATTACTATTATATCTCATTACAGAAAT
CTGAGGTTTTTGATTCAATTCAGAGCTTGCATCTCATGATTCTAATCACTTCTGTCTATAGTG
TACTTGCTCTATTTAAGAAGGCATATCTACATTTCCAAACTCATTCTAACATTCTATATATT
CGTGTGTGAAAACCATGTCATTTATTTCTACATCATGTATTTAAAAAGAAATATTTCTCTAC
TACTATGCTCATGACAAAATGAAACAAAGCATATTGTGAGCAATACTGAACATCAATAATAC
CCTTAGTTTTATATACTTATTATTTTATCTTTAAGCATGCTACTTTTACTTGGCCAATATTTT
CTTATGTTAACTTTTGCTGATGTATAAAACAGACTATGCCTTATAATTGAAATAAAATTATA
ATCTGCCTGAAAATGAATAAAAATAAAACATTTTGAAATGTGAAAAAAAAAAAAAAAAAAAAA

FIGURE 24

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA87976

><subunit 1 of 1, 800 aa, 1 stop

><MW: 87621, pI: 4.77, NX(S/T): 7

MAVRELCFPRQRQVLFLEFWGVSLAGSGFGGRYSVTEETEEKGSFVVNLAKDLGLAEGELAAR
GTRVVSDDNKQYLLLDSTGNLLTNEKLDREKLCGPKEPCMLYFQILMDDPFQIYRAELRVR
DINDHAPVFQDKETVLKISENTAEGTAFRLERAQDPDGGLNGIQNYTISPNSFFHINISGGD
EGMIYPELVLDKALDREEQGELSITLTALDGGSPSRSGTSTVRIVVLDVNDNAPQFAQALYE
TQAPENSPIGFLIVKVAEDVDSGVNAEVSYSFFDASENIRTTFQINPFSGEIFLRELLDYE
LVNSYKINIQAMDGGGLSARCRVLVEVLDTNDNPPELIVSSFSNSVAENSPETPLAVFKIND
RDSGENGKMVCYIQENLPFLKPSVENFYILITEGALDREIRAEYNITITVTDLGTPLRKTE
HNITVLVSDVNDNAPAFQTQTSYTLFVRENNSPALHIGSVSATDRDSGTNAQVTYSLLPPQDP
HLPLASLV SINADNGHLFALRSLDYEALQAFEFVVGATDRGSPALSREALVRVLVLDANDNS
PFVLYPLQNGSAPCTELVPRAAEPGYLVTKVAVDGDGSGQNAWLSYQLLKATEPGLFGVWAH
NGEVRTARLLSERDAAKHRLVVLVKDNGEPPRSATATLHLLLVDGFSQPYLPLPEAAPAQQAQ
AEADLLTVYLVVALASVSSLFLLSVLLFVAVRLCRRSRAASVGRCSVPEGPFPGHLVDVRGA
ETLSQSYQYEVCLTGGPGTSEFKFLKPVISDIQAQGPGRKGEENSTFRNSFGFNIQ

Important features of the protein:

Signal peptide:

amino acids 1-26

Transmembrane domain:

amino acids 687-711

N-glycosylation sites.

amino acids 169-173, 181-185, 418-422, 436-440, 567-571, 788-792

Glycosaminoglycan attachment site.

amino acids 28-32

Tyrosine kinase phosphorylation sites.

amino acids 394-402, 578-585

N-myristoylation sites.

amino acids 22-28, 27-33, 53-59, 82-88, 162-168, 184-190,
217-223, 324-330, 325-331, 471-477, 568-574, 759-765

Amidation site.

amino acids 781-785

Aminoacyl-transfer RNA synthetases class-II signature 1.

amino acids 117-138

Cadherins extracellular repeated domain signature.

amino acids 121-132, 230-241, 335-346, 439-450, 549-560

3.

[illegible]

FIGURE 26

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA92234

><subunit 1 of 1, 507 aa, 1 stop

><MW: 56692, pI: 5.22, NX(S/T): 3

MDPKLGRMAASLLAVLLLLLLERGMFSSPSPPPALLEKVFQYIDLHQDEFVQTLKEWVAIESD
SVQPVPRFRQELFRMMAVAADTLQRLGARVASVDMGPQQLPDGQSLPIPPVILAELGSDPTK
GTVCFYGHLDVQPADRGDGLTDPYVLTEVDGKLYGRGATDNKGPVLAWINAVSAFRALEQD
LPVNIKFIIIEGMEEAGSVALEELVEKEKDRFFSGVDYIVISDNLWISQRKPAITYGTRGNSY
FMVEVKCRDQDFHSGTFGGILHEPMADLVALLGSLVDSSGHILVPGIYDEVVPLTEEEINTY
KAIHLDLEEYRNSSRVEKFLFDTKEEILMHLWRYPSSLIHGIEGAFDEPGTKTVIPGRVIGK
FSIRLVPHMNVSAVEKQVTRHLEDVFSKRNSSNKMVVSMTLGLHPWIANIDDTQYLAAKRAI
RTVFGTEPDMIRDGSTIPIAKMFQEIVHKSVVLIPLGAVDDGEHSQNEKINRWNYIEGTKLF
AAFFLEMAQLH

Important features of the protein:

Signal peptide:

amino acids 1-26

Transmembrane domain:

273-292

N-glycosylation sites.

amino acids 322-326, 382-386, 402-406

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 400-404

N-myristoylation sites.

amino acids 89-95, 119-125, 162-168, 197-203, 242-248, 263-269,
351-357

Cell attachment sequence.

amino acids 140-143

ArgE / dapE / ACY1 / CPG:

amino acids 156-167

FIGURE 27

CTCGGCTGGATTTAAGGTTGCCGCTAGCCGCCTGGGAATTTAAGGGACCCACACTACCTTCC
CGAAGTTGAAGGCAAGCGGTGATTGTTTGTAGACGGCGCTTTGTC**ATG**GGACCTGTGCGGTT
GGGAATATTGCTTTTCCTTTTTTTGGCCGTGCACGAGGCTTGGGCTGGGATGTTGAAGGAGG
AGGACGATGACACAGAACGCTTGCCCAGCAAATGCGAAGTGTGTAAGCTGCTGAGCACAGAG
CTACAGGCGGAACTGAGTCGCACCGGTGATCTCGAGAGGTGCTGGAGCTGGGGCAGGTGCT
GGATACAGGCAAGAGGAAGAGACACGTGCCTTACAGCGTTTCAGAGACAAGGCTGGAAGAGG
CCTTAGAGAATTTATGTGAGCGGATCCTGGACTATAGTGTTACGCTGAGCGCAAGGGCTCA
CTGAGATATGCCAAGGGTCAGAGTCAGACCATGGCAACACTGAAAGGCCTAGTGAGCAAGGG
GGTGAAGGTGGATCTGGGGATCCCTCTGGAGCTTTGGGATGAGCCCAGCGTGGAGGTCACAT
ACCTCAAGAAGCAGTGTGAGACCATGTTGGAGGAGTTTGAAGACATTGTGGGAGACTGGTAC
TTCCACCATCAGGAGCAGCCCCTACAAAATTTTCTCTGTGAAGGTCATGTGCTCCCAGCTGC
TGAAACTGCATGTCTACAGGAACTTGGACTGGAAAGGAGATCACAGATGGGGAAGAGAAAA
CAGAAGGGGAGGAAGAGCAGGAGGAGGAGGAGGAAGAGGAGGAAGAGGAAGGGGGAGACAAG
ATGACCAAGACAGGAAGCCACCCCAAACCTTGACCGAGAAGATCTT**TGA**CCCTTGCCTTTGAG
CCCCCAGGAGGGGAAGGGATCATGGAGAGCCCTCTAAAGCCTGCACTCTCCCTGCTCCACAG
CTTTCAGGGTGTGTTTATGAGTGACTCCACCCAAGCTTGTAGCTGTTCTCTCCCATCTAACC
TCAGGCAAGATCCTGGTGAAACAGCATGACATGGCTTCTGGGGTGGAGGGTGGGGGTGGAGG
TCCTGCTCCTAGAGATGAACTCTATÇCAGCCCCCTAATTGGCAGGTGTATGTGCTGACAGTA
CTGAAAGCTTTCCTCTTTAACTGATCCCACCCCCACCCAAAAGTCAGCAGTGGCACTGGAGC
TGTGGGCTTTGGGGAAGTCACTTAGCTCCTTAAGGTCTGTTTTTAGACCCTTCCAAGGAAGA
GGCCAGAACGGACATTCTCTGCGATCTATATACATTGCCTGTATCCAGGAGGCTACACACCA
GCAAACCGTGAAGGAGAATGGGACACTGGGTCATGGCCTGGAGTTGCTGATAATTTAGGTGG
GATAGATACTTGGTCTACTTAAGCTCAATGTAACCCAGAGCCCACCATATAGTTTTATAGGT
GCTCAACTTTCTATATCGCTATTAACTTTTTTCTTTTTTTCTA

FIGURE 28

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA92256
><subunit 1 of 1, 248 aa, 1 stop
><MW: 28310, pI: 4.63, NX(S/T): 0
MGPVRLGILLFLFLAVHEAWAGMLKEEDDDTERLPSKCEVCKLLSTELQAELSRTGRSREVL
ELGQVLDTGKRKRHVPYSVSETRLEEALENLCERILDYSVHAERKGSRLRYAKGQSQTMATLK
GLVQKGKVDLGIPLLEWDEPSVEVITYLKKQCETMLEEFEDIVGDWYFHHQEQLQNLCEG
HVLPAEAETACLOETWTGKEITDGECKTEGEEEEEQEEEEEEEEEGGDKMTKTGSHPKLDREDL
```

Important features of the protein:

Signal peptide:

amino acids 1-21

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 106-110

N-myristoylation site.

amino acids 115-121

Amidation site.

amino acids 70-74

FIGURE 29

AAGTACTTGTGTCCGGGTGGTGGACTGGATTAGCTGCGGAGCCCTGGAAGCTGCCTGTCCTT
CTCCCTGTGCTTAACCAGAGGTGCCCATGGGTTGGACAATGAGGCTGGTCACAGCAGCACTG
TTACTGGGTCTCATGATGGTGGTCACTGGAGACGAGGATGAGAACAGCCCGTGTGCCCATGA
GGCCCTCTTGGACGAGGACACCCTCTTTTGCCAGGGCCTTGAAGTTTTCTACCCAGAGTTGG
GGAACATTGGCTGCAAGGTGTTTCCTGATTGTAACAACTACAGACAGAAGATCACCTCCTGG
ATGGAGCCGATAGTCAAGTTCCCGGGGGCCGTGGACGGCGCAACCTATATCCTGGTGATGGT
GGATCCAGATGCCCCTAGCAGAGCAGAACCCAGACAGAGATTCTGGAGACATTGGCTGGTAA
CAGATATCAAGGGCGCCGACCTGAAGAAAGGGAAGATTCAGGGCCAGGAGTTATCAGCCTAC
CAGGCTCCCTCCCCACCGGCACACAGTGGCTTCCATCGCTACCAGTTCTTTGTCTATCTTCA
GGAAGGAAAAGTCATCTCTCTCTTCCCAAGGAAAACAAAACCTCGAGGCTCTTGGAAAATGG
ACAGATTTCTGAACCGCTTCCACCTGGGCGAACCTGAAGCAAGCACCCAGTTCATGACCCAG
AACTACCAGGACTCACCAACCCTCCAGGCTCCCAGAGGAAGGGCCAGCGAGCCCAAGCACAA
AACCAGGCAGAGATAGCTGCCTGCTAGATAGCCGGCTTTGCCATCCGGGCATGTGGCCACAC
TGCTCACCACCGACGATGTGGGTATGGAACCCCTCTGGATACAGAACCCCTTCTTTTCCAA
ATTAAAAAAAATCATCAA

FIGURE 30

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA92274
><subunit 1 of 1, 223 aa, 1 stop
><MW: 25402, pI: 8.14, NX(S/T): 1
MGWTMRLVTAALLGLMMVVTGDEDENSPCAHEALLDEDTLFCQGLEVFYPELGNIGCKVVP
DCNNYRQKITSWMEPIVKFPGAVDGATYILVMVDPDAPSRAEPRQRFWRHWLVTDIKGADLK
KGKIQQQELSAYQAPSPPAHSGFHRYQFFVYLQEGKVISLLPKENKTRGSKMDRFLNRFHL
GEPEASTQFMTQNYQDSPTLQAPRGRASEPKHKTRQR

Important features of the protein:

Signal peptide:

amino acids 1-22

N-glycosylation site.

amino acids 169-173

Tyrosine kinase phosphorylation site.

amino acids 59-68

N-myristoylation sites.

amino acids 54-60, 83-89, 130-136

Phosphatidylethanolamine signature.

amino acids 113-157

FIGURE 31

GTGACCCACGCGTCCGAAGCTGCTGGAGCCACGATTTCAGTCCCCTGGACTGTAGATAAAGA
CCCTTTCTTGCCAGGTGCTGAGACAACCACACT**ATG**AGAGGCACTCCAGGAGACGCTGATGG
TGGAGGAAGGGCCGTCTATCAATCAATCACTGTTGCTGTTATCACATGCAAGTATCCAGAGG
CTCTTGAGCAAGGCAGAGGGGATCCCATTTATTTGGGAATCCAGAATCCAGAAATGTGTTTG
TATTGTGAGAAGGTTGGAGAACAGCCCACATTGCAGCTAAAAGAGCAGAAGATCATGGATCT
GTATGGCCAACCCGAGCCCGTGAAACCCTTCCTTTTCTACCGTGCCAAGACTGGTAGGACCT
CCACCCTTGAGTCTGTGGCCTTCCCGGACTGGTTCATTGCCTCCTCCAAGAGAGACCAGCCC
ATCATTCTGACTTCAGAACTTGGGAAGTCATACAACACTGCCTTTGAATTAAATATAAATGA
CTGAACTCAGCCTAGAGGTGGCAGCTTGGTCTTTGTCTTAAAGTTTCTGGTTCCCAATGTGT
TTTCGTCTACATTTTCTTAGTGTCATTTTCACGCTGGTGCTGAGACAGGAGCAAGGCTGCTG
TTATCATCTCATTTTATAATGAAGAAGAAGCAATTACTTCATAGCAACTGAAGAACAGGATG
TGGCCTCAGAAGCAGGAGAGCTGGGTGGTATAAGGCTGTCCTCTCAAGCTGGTGCTGTGTAG
GCCACAAGGCATCTGCATGAGTGACTTTAAGACTCAAAGACCAAACACTGAGCTTTCTTCTA
GGGGTGGGTATGAAGATGCTTCAGAGCTCATGCGCGTTACCCACGATGGCATGACTAGCACA
GAGCTGATCTCTGTTTCTGTTTTGCTTTATTCCCTCTTGGGATGATATCATCCAGTCTTTAT
ATGTTGCCAATATACCTCATTGTGTGTAATAGAACCTTCTTAGCATTAAAGACCTTGTAACA
AAAATAATTCTTGGGGTGGGTATGAAGATGCTTCAGAGCTCATGCGCGTTACCCACGATGGC
ATGACTAGCACAGAGCTGATCTCTGTTTCTGTTTTGCTTTATTCCCTCTTGGGATGATATCA
TCCAGTCTTTATATGTTGCCAATATACCTCATTGTGTGTAATAGAACCTTCTTAGCATTAAAG
ACCTTGTAACAATAATAATTCTTGTGTAAAGTTAAATCATTTTGTCTAATTGTAATGTG
TAATCTTAAAGTTAAATAAACTTTGTGTATTTATATAATAATAAAGCTAAAACTGATATAAA
ATAAAGAAAGAGTAAACTG

FIGURE 32

MRGTPGDADGGGRAVYQSITVAVITCKYPEALEQGRGDPIYLGIONPEMCLYCEKVGEQPTL
QLKEQKIMDLYGQPEPVKPFIFYRAKTGRTSTLESVAFPDWFIASSKRDQPIILTSELGKSY
NTAFELNIND

Signal sequence:

amino acids 1-17

N-myristoylation site.

amino acids 10-16

Cell attachment sequence.

amino acids 36-39

FIGURE 33

GCGAGGCTGCACCAGCGCCTGGCACC**ATG**AGGACGCCTGGGCCTCTGCCCCTGCTGCTGCTG
CTCCTGGCGGGAGCCCCCGCGCGCGGCCCACTCCCCGACCTGCTACTCCCGCATGCGGGC
CCTGAGCCAGGAGATCACCCGCGACTTCAACCTCCTGCAGGTCTCGGAGCCCTCGGAGCCAT
GTGTGAGATACCTGCCCAGGCTGTACCTGGACATACACAATTACTGTGTGCTGGACAAGCTG
CGGGACTTTGTGGCCTCGCCCCCGTGTTGGAAAGTGGCCCAGGTAGATTCCCTTGAAGGACAA
AGCACGGAAGCTGTACACCATCATGAACTCGTTCTGCAGGAGAGATTTGGTATTCCTGTTGG
ATGACTGCAATGCCTTGAATACCCAATCCCAGTGACTACGGTCCTGCCAGATCGTCAGCGC
TAAGGGAAGTGAAGACCAGAGAAAGAACCCAAGAGAACTAAAGTTATGTCAGCTACCCAGACT
TAATGGGCCAGAGCCATGACCCTCACAGGTCTTGTGTTAGTTGTATCTGAAACTGTTATGTA
TCTCTCTACCTTCTGGAAAACAGGGCTGGTATTCCTACCCAGGAACCTCCTTTGAGCATAGA
GTTAGCAACCATGCTTCTCATTCCCTTGACTCATGTCTTGCCAGGATGGTTAGATACACAGC
ATGTTGATTTGGTCACTAAAAAGAAGAAAAGGACTAACAAGCTTCACTTTTATGAACAATA
TTTTGAGAACATGCACAATAGTATGTTTTTATTACTGGTTTAATGGAGTAATGGTACTTTTA
TTCTTTCTTGATAGAAACCTGCTTACATTTAACCAAGCTTCTATTATGCCTTTTTCTAACAC
AGACTTTCTTCACTGTCTTTCATTTAAAAAGAAATTAATGCTCTTAAGATATATATTTTACG
TAGTGCTGACAGGACCCACTCTTTCATTGAAAGGTGATGAAAATCAAATAAAGAATCTCTTC
ACATGGA

FIGURE 34

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA93011
><subunit 1 of 1, 136 aa, 1 stop
><MW: 15577, pI: 8.88, NX(S/T): 0
MRTPGPLPVLLLLLAGAPAARPTPPTCYSRMRALSQEITRDFNLLQVSEPSEPCVRYLPRLY
LDIHNYCVLDKLRDFVASPPCWKVAQVDSLKDKARKLYTIMNSFCRRDLVFLDDCNAL EYP
IPVTTVLPDRQR
```

Important features of the protein:

Signal peptide:

amino acids 1-19

Tyrosine kinase phosphorylation site.

amino acids 60-69

N-myristoylation site.

amino acids 16-22

FIGURE 35

GTCTCCGCGTCACAGGAACCTTCAGCACCCACAGGGCGGACAGCGCTCCCCTCTACCTGGAGA
CTTGACTCCCGCGCGCCCCAACCTGCTTATCCCTTGACCGTCGAGTGTGAGAGATCCTGCA
GCCGCCCAGTCCCGGCCCCCTCTCCCGCCCCACACCCACCCTCCTGGCTCTTCCTGTTTTTAC
TCCTCCTTTTTCATTCATAACAAAAGCTACAGCTCCAGGAGCCCAGCGCCGGGCTGTGACCCA
AGCCGAGCGTGGAAGAATGGGGTTCTTCGGGACCGGCACTTGGATTCTGGTGTTAGTGCTCC
CGATTCAAGCTTTCCCCAACCTGGAGGAAGCCAAGACAAATCTCTACATAATAGAGAATTA
AGTGCAGAAAGACCTTTGAATGAACAGATTGCTGAAGCAGAAGAAGACAAGATTAAAAAAC
ATATCCTCCAGAAAACAAGCCAGGTCAGAGCAACTATTCTTTTGTTGATAACTTGAACCTGC
TAAAGGCAATAACAGAAAAGGAAAAAATTGAGAAAGAAAGACAATCTATAAGAAGCTCCCCA
CTTGATAATAAGTTGAATGTGGAAGATGTTGATTCAACCAAGAATCGAAAAC TGATCGATGA
TTATGACTCTACTAAGAGTGGATTGGATCATAAATTTCAAGATGATCCAGATGGTCTTCATC
AACTAGACGGGACTCCTTTAACCGCTGAAGACATTGTCCATAAAATCGCTGCCAGGATTTAT
GAAGAAAATGACAGAGCCGTGTTTGACAAGATTGTTTCTAACTACTTAATCTCGGCCTTAT
CACAGAAAGCCAAGCACATACACTGGAAGATGAAGTAGCAGAGGTTTTACAAAAATTAATCT
CAAAGGAAGCCAACAATTATGAGGAGGATCCCAATAAGCCCACAAGCTGGACTGAGAATCAG
GCTGGAAAAATACCAGAGAAAGTGACTCCAATGGCAGCAATTCAAGATGGTCTTGCTAAGGG
AGAAAACGATGAAACAGTATCTAACACATTAACCTTGACAAATGGCTTGGAAGGAGAACTA
AAACCTACAGTGAAGACAACCTTTGAGGAACTCCAATATTTCCCAAATTTCTATGCGCTACTG
AAAAGTATTGATTCAGAAAAAGAAGCAAAAGAGAAAGAAACACTGATTACTATCATGAAAC
ACTGATTGACTTTGTGAAGATGATGGTGAAATATGGAACAATATCTCCAGAAGAAGGTGTTT
CCTACCTTGAAAACCTGGATGAAATGATTGCTCTTCAGACCAAAAACAAGCTAGAAAAAAT
GCTACTGACAATATAAGCAAGCTTTTCCCAGCACCATCAGAGAAGAGTCATGAAGAAACAGA
CAGTACCAAGGAAGAAGCAGCTAAGATGGAAAAGGAATATGGAAGCTTGAAGGATTCCACAA
AAGATGATAACTCCAACCCAGGAGGAAAGACAGATGAACCCAAAGGAAAAACAGAAGCCTAT
TTGGAAGCCATCAGAAAAAATATTGAATGGTTGAAGAAACATGACAAAAGGGAAATAAAGA
AGATTATGACCTTTCAAAGATGAGAGACTTCATCAATAAACAAGCTGATGCTTATGTGGAGA
AAGGCATCCTTGACAAGGAAGAAGCCGAGGCCATCAAGCGCATTTATAGCAGCCTGTAAAAA
TGGCAAAAGATCCAGGAGTCTTTCAACTGTTTCAGAAAACATAATATAGCTTAAAACACTTC
TAATTCTGTGATTAAATTTTTTGACCCAAGGGTTATTAGAAAGTGCTGAATTTACAGTAGT
TAACCTTTTACAAGTGGTTAAAACATAGCTTTCTTCCCGTAAAACTATCTGAAAGTAAAGT
TGTATGTAAGCTGAAAAAAAAAAAAAAAAAAAAA

FIGURE 36

MGFLGTGTWILVLVLP IQAFPKPGGSQDKSLHNRELSAERPLNEQIAEAEEDKIKKTYPPEN
KPGQSNYSFVDNLNLLKAITEKEKIEKERQSIRSSPLDNKLNVEDVDSTKNRKLIDDYDSTK
SGLDHKFQDDPDGLHQLDGTPLTAEDIVHKIAARIYEENDRAVFDKIVSKLLNLGLITESQA
HTLEDEVAEVLQKLISKEANNYEEDPNKPTSWTENQAGK IPEKVTPMAAIQDGLAKGENDET
VSNTLTLTNGLERRTKTYSEDNFEELQYFPNFYALLKSIDSEKEAKEKETLITIMKTLIDFV
KMMVKYGTISPEEGVSYLENLDEMIALQTKNKLEKNATDNISKLF PAPSEKSHEETDSTKEE
AAKMEKEYGSLKDSTKDDNSNPGGKTDEPKGKTEAYLEAIRKNIEWLKKHDKKGNKEDYDLS
KMRDFINKQADAYVEKGILDKEEAIAIKRIYSSL

N-glycosylation sites:

amino acids 68-71, 346-349, 350-353

Casein kinase II phosphorylation site:

amino acids 70-73, 82-85, 97-100, 125-128, 147-150, 188-191, 217-
220, 265-268, 289-292, 305-308, 320-323, 326-329, 362-365, 368-
341, 369-372, 382-385, 386-389, 387-390

N-myristoylation sites:

amino acids 143-148, 239-244

[illegible][illegible]

FIGURE 38

MALPPGPAALRHTLLLLPALLSSGWGELEPQIDGQTWAERALRENERHAFTCRVAGGPGT
PR
LAWYLDGQLQEASTSRLLSVGGEAFSGGTSTFTVTAHRAQHELNCSLQDPRSGRSANASVIL
NVQFKPEIAQVGAKYQEAQGPGLLVVLFALVRANPPANVTWIDQDGPVTVNTSDFLVLDAQN
YPWLTNHTVQLQLRSLAHNLSVVATNDVGVTASLPAPGPSRHPSLISSDSNNLKLNNVRLP
RENMSLPSNLQLNDLTPDSRAVKPADRQMAQNNSRPELLDPEPGGLLTSQGFIRLPVLGYIY
RVSSVSSDEIWL

N-glycosylation sites:

amino acids 106-110, 119-123, 162-166, 175-179, 192-196, 205-209,
251-255, 280-284

Glycosaminoglycan attachment site:

amino acids 23-27

Casein kinase II phosphorylation sites:

amino acids 36-40, 108-112, 164-168, 282-286, 316-320

N-myristoylation sites:

amino acids 34-40, 89-95, 215-221, 292-298, 293-299

FIGURE 39

CGGGGACGGAAGCGGCCCTGGGCCCAGGGGCTGGAGCCGGGCCGGGGCG**ATG**TGGAGCGC
GGGCCGCGGCGGGGCTGCCTGGCCGGTGCTGTTGGGGCTGCTGCTGGCGCTGTTAGTGCCGG
GCGGTGGTGCCGCCAAGACCGGTGCGGAGCTCGTGACCTGCGGGTCGGTGCTGAAGCTGCTC
AATACGCACCACCGCGTGCGGCTGCACTCGCACGACATCAAATACGGATCCGGCAGCGGCCA
GCAATCGGTGACCGGCGTAGAGGCGTCGGACGACGCCAATAGCTACTGGCGGATCCGCGGCG
GCTCGGAGGGCGGGTGCCCGCGCGGGTCCCCGGTGCGCTGCGGGCAGGCGGTGAGGCTCACG
CATGTGCTTACGGGCAAGAACCTGCACACGCACCACTTCCCGTCGCCGCTGTCCAACAACCA
GGAGGTGAGTGCCTTTGGGGAAGACGGCGAGGGCGACGACCTGGACCTATGGACAGTGCGCT
GCTCTGGACAGCACTGGGAGCGTGAGGCTGCTGTGCGCTTCCAGCATGTGGGCACCTCTGTG
TTCCTGTCAGTCACGGGTGAGCAGTATGGAAGCCCCATCCGTGGGCAGCATGAGGTCCACGG
CATGCCCAGTGCCAACACGCACAATACGTGGAAGGCCATGGAAGGCATCTTCATCAAGCCTA
GTGTGGAGCCCTCTGCAGGTCACGATGAACTC**TGAG**TGTGTGGATGGATGGGTGGATGGAGG
GTGGCAGGTGGGGCGTCTGCAGGGCCACTCTTGGCAGAGACTTTGGGTTTGTAGGGGTCCTC
AAGTGCCTTTGTGATTAAAGAATGTTGGTCTATGAAA

FIGURE 40

```
></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96857
><subunit 1 of 1, 221 aa, 1 stop
><MW: 23598, pI: 6.96, NX(S/T): 0
MWSAGRGGAAWPVLLGLLLALLVPGGGAAKTGAELVTCGSVLKLLNTHHRVRLHSHDIKYGS
GSGQQSVTGVEASDDANSYWIRIRGGSEGGCPRGSPVRCGQAVRLTHVLTGKNLHTHHFPSPL
SNNQEVSAFGEDGEGLDLDLWTVRCGQHWEREAAVRFQHVGTSVFLSVTGEQYGSPIRGQH
EVHGMPSANTHNTWKAMEGIFIKPSVEPSAGHDEL
```

Important features of the protein:

Signal peptide:

amino acids 1-28

Glycosaminoglycan attachment site.

amino acids 62-66

N-myristoylation sites.

amino acids 16-22, 25-31, 27-33, 61-67, 71-77, 86-92, 87-93,
91-97, 190-196

Endoplasmic reticulum targeting sequence.

amino acids 218-223

FIGURE 41

GTTGCTATGTTGCCCAGGCTGGTCTTGAAGTGCCTTGACCTCCTAAAGTGTTGGAACCACAG
ACGTGAGCCACTCCACCCAGCCTAAAACTTCATCTTCTTTGGATGAGATGAACACTTTTAAC
AAGAGAACAGGACTCTATATAAATCGCTGTGGGCTCACCACCTCTAAGGAGGAGCACTGACT
GAAGACAGAAAAATTGATGAACTGAAGAAGACATGGTCCATTATGCCTTACAACTTACACA
GTGCTTTGGGAATTCCAAAGTACTCAGTGGAGAGAGGTGTTTCAGGAGCCGTAGAGCCAGAT
CGTCATC**ATG**TCTGCATTGTGGCTGCTGCTGGGCCTCCTTGCCCTGATGGACTTGTCTGAAA
GCAGCAACTGGGGATGCTATGGAAACATCCAAAGCCTGGACACCCCTGGAGCATCTTGTGGG
ATTGGAAGACGTCACGGCCTGAACTACTGTGGAGTTCGTGCTTCTGAAAGGCTGGCTGAAAT
AGACATGCCATACCTCCTGAAATATCAACCCATGATGCAAACCATTGGCCAAAAGTACTGCA
TGGATCCTGCCGTGATCGCTGGTGTCTTGTCCAGGAAGTCTCCCGGTGACAAAATTCTGGTC
AACATGGGCGATAGGACTAGCATGGTGCAGGACCCTGGCTCTCAAGCTCCCACATCCTGGAT
TAGTGAGTCTCAGGTTTCCCAGACAACTGAAGTTCTGACTACTAGAATCAAAGAAATCCAGA
GGAGGTTTCCAACCTGGACCCCTGACCAGTACCTGAGAGGTGGACTCTGTGCCTACAGTGGG
GGTGCTGGCTATGTCCGAAGCAGCCAGGACCTGAGCTGTGACTTCTGCAATGATGTCCTTGC
ACGAGCCAAGTACCTCAAGAGACATGGCTTCT**TAA**CATCTCAGATGAAACCCAAGACCATGAT
CACATATGCAGCCTCAAATGTTACACAGATAAACTAGCCAAGGGCACCTGTAACTGGGAAT
CTGAGTTTGACCTAAAAGTCATTAAAATAACATGAATCCCATTAACAAAAAAAAAAAAA

FIGURE 42

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96867

><subunit 1 of 1, 194 aa, 1 stop

><MW: 21431, pI: 8.57, NX(S/T): 0

MSALWLLLGLLALMDLSESSNWGCYGNIQSLDTPGASCGIGRRHGLNYCGVRASERLAEIDM
PYLLKYQPMMQTIGQKYCMDPAVIAGVLSRKSPGDKILVNMGDRTSMVQDPGSQAPTSWISE
SQVSQTTEVLTTRIKEIQRRFPTWTPDQYLRGGLCAYSGGAGYVRSSQDLSCDFCNDVLARA
KYLKRHGF

Important features of the protein:

Signal peptide:

amino acids 1-19

N-myristoylation sites.

amino acids 23-29, 26-32, 35-41, 45-51, 50-56, 76-82, 156-162

Amidation site.

amino acids 40-44

bioRxiv preprint doi: <https://doi.org/10.1101/000000>; this version posted January 1, 2014. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

FIGURE 43

TTGAAAATCTACTCTATCAGCTGCTGTGGTTGCCACCATTCTCAGGACCCTCGCC**ATG**AAAG
CCCTTATGCTGCTCACCTGTCTGTTCTGCTCTGCTGGGTCTCAGCTGACATTCGCTGTCAC
TCCTGCTACAAGGTCCCTGTGCTGGGCTGTGTGGACCGGCAGTCCTGCCGCCTGGAGCCAGG
ACAGCAATGCCTGACAACACATGCATACCTTGGTAAGATGTGGGTTTTCTCCAATCTGCGCT
GTGGCACACCAGAAGAGCCCTGTCAGGAGGCCTTCAACCAAACCAACCGCAAGCTGGGTCTG
ACATATAACACCACCTGCTGCAACAAGGACAACCTGCAACAGCGCAGGACCCCGGCCCACTCC
AGCCCTGGGCCTTGTCTTCCTTACCTCCTTGGCTGGCCTTGGCCTCTGGCTGCTGCAC**TGAG**
ACTCATTCCATTGGCTGCCCTCCTCCCACCTGCCTTGGCCTGAGCCTCTCTCCCTGTGTCT
CTGTATCCCCTGGCTTTACAGAATCGTCTCTCCCTAGCTCCCATTTCTTTAATTAAACACTG
TTCCGAGTGGTCTCCTCATCCATCCTTCCCACCTCACACCCTTCACTCTCCTTTTTCTGGGT
CCCTTCCCCTTCCCTTCCAGGACCTCCATTGGCTCCTAGAAGGGCTCCCCACTTTGCTTCCT
ATACTCTGCTGTCCCCTACTTGAGGAGGGATTGGGATCTGGGCCTGAAATGGGGCTTCTGTG
TTGTCCCCAGTGAAGGCTCCCACAAGGACCTGATGACCTCACTGTACAGAGCTGACTCCCCA
AACCAGGCTCCCATATGTACCCCATCCCCATACTCACCTCTTTCCATTTTGAGTAATAAA
TGTCTGAGTCTGGAAAAAAAAAAAAAAAAAAAA

FIGURE 44

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96878
><subunit 1 of 1, 125 aa, 1 stop
><MW: 13821, pI: 8.60, NX(S/T): 2
MKALMLLTLSVLLCWVSADIRCHSCYKVPVLGCVDRQSCRLEPGQQCLTTHAYLGKMWVFSN
LRCGTPEEPCQEAFNQTNRKLGITYNTTCCNKDNCNSAGPRPTPALGLVFLTSLAGLGLWLLH

Important features of the protein:

Signal peptide:

amino acids 1-18

N-glycosylation sites.

amino acids 77-81, 88-92

N-myristoylation site.

amino acids 84-90

Ly-6 / u-PAR domain protein signature.

amino acids 85-98

FIGURE 45

ACGGGCCGCAGCGGCAGTGACGTAGGGTTGGCGCACGGATCCGTTGCGGCTGCAGCTCTGCA
GTCGGGCCGTTTCCTTCGCCGCCCGCCAGGGGTAGCGGTGTAGCTGCGCAGCGTCGCGCGCGCT
ACCGCACCCAGGTTTCGGCCCCGTAGGCGTCTGGCAGCCCCGGCGCCATCTTCATCGAGCGCCAT
GGCCGCAGCCTGCGGGCCGGGAGCGGCCGGGTACTGCTTGCTCCTCGGCTTGCATTTGTTTC
TGCTGACCGCGGGGCCCTGCCCTGGGCTGGAACGACCCTGACAGAATGTTGCTGCGGGATGTA
AAAGCTCTTACCCTCCACTATGACCGCTATAACCACCTCCCGCAGGCTGGATCCCATCCCACA
GTTGAAATGTGTTGGAGGCACAGCTGGTTGTGATTCTTATACCCCAAAGTCATACAGTGTC
AGAACAAAGGCTGGGATGGGTATGATGTACAGTGGGAATGTAAGACGGACTTAGATATTGCA
TACAAATTTGGAAAACTGTGGTGAGCTGTGAAGGCTATGAGTCCTCTGAAGACCAGTATGT
ACTAAGAGGTTCTTGTGGCTTGGAGTATAATTTAGATTATACAGAACTTGGCCTGCAGAAAC
TGAAGGAGTCTGGAAAGCAGCACGGCTTTGCCTCTTTCTCTGATTATTATTATAAGTGGTCC
TCGGCGGATTCCCTGTAACATGAGTGGATTGATTACCATCGTGGTACTCCTTGGGATCGCCTT
TGTAAGTCTATAAGCTGTTCCCTGAGTGACGGGCAGTATTCTCCTCCACCGTACTCTGAGTATC
CTCCATTTTCCCACCGTTACCAGAGATTCACCAACTCAGCAGGACCTCCTCCCCCAGGCTTT
AAGTCTGAGTTCACAGGACCACAGAATACTGGCCATGGTGCAACTTCTGGTTTTGGCAGTGC
TTTTACAGGACAACAAGGATATGAAAATTCAGGACCAGGGTTCTGGACAGGCTTGGGAACTG
GTGGAATACTAGGATATTTGTTTGGCAGCAATAGAGCGGCAACACCCTTCTCAGACTCGTGG
TACTACCCGTCCCTATCCTCCCTCCTACCCTGGCACGTGGAATAGGGCTTACTCACCCCTTCA
TGGAGGCTCGGGCAGCTATTTCGGTATGTTCAAACCTCAGACACGAAAACCAGAACTGCATCAG
GATATGGTGGTACCAGGAGACGATTAAAGTAGAAAGTTGGAGTCAAACACTGGATGCAGAAAT
TTTGGATTTTTTCATCACTTTCTCTTTAGAAAAAAGTACTACCTGTTAACAATTGGGAAAAG
GGGATATTCAAAAGTTCTGTGGTGTATGTCCAGTGTAGCTTTTTGTATTCTATTATTTGAG
GCTAAAAGTTGATGTGTGACAAATACTTATGTGTTGTATGTCAGTGTAACATGCAGATGTA
TATTGCAGTTTTTGAAGTGATCATTACTGTGGAATGCTAAAAATACATTAATTTCTAAAC
CTGTGATGCCCTAAGAAGCATTAGAATGAAGGTGTTGTACTAATAGAACTAAGTACAGAA
AATTTCAAGTTTTAGGTGGTTGTAGCTGATGAGTTATTACCTCATAGAGACTATAATATTCTA
TTTGGTATTATATTATTTGATGTTTGCTGTTCTTCAAACATTTAAATCAAGCTTTGGACTAA
TTATGCTAATTTGTGAGTTCTGATCACTTTTGAGCTCTGAAGCTTTGAATCATTCAAGTGGTG
GAGATGGCCTTCTGGTAACTGAATATTACCTTCTGTAGGAAAAGGTGGAAAATAAGCATCTA
GAAGGTGTTGTGAATGACTCTGTGCTGGCAAAAATGCTTGAAACCTCTATATTTCTTTTCGT
TCATAAGAGGTAAAGGTCAAATTTTTCAACAAAAGTCTTTTAATAACAAAAGCATGCAGTTC
TCTGTGAAATCTCAAATATTGTTGTAATAGTCTGTTTCAATCTTAAAAAGAATCA

FIGURE 46

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA96889

><subunit 1 of 1, 339 aa, 1 stop

><MW: 36975, pI: 7.85, NX(S/T): 1

MAAACGPGAAGYCLLLGLHLFLLTAGPALGWNDPDRMLLRDVKALTLHYDRYTTSRRLDPIP
QLKCVGGTAGCDSYTPKVIQCQNKGDGYDVQWECKTDLDIAYKFGKTVVSCEGYESSEDQY
VLRGSCGLEYNLDYTELGQLKLKESGKQHGFASFSDYKKWSSADSCNMSGELITIVVLLGIA
FVVKLFLSDGQYSPPPYSEYPPFSHRYQRFNSAGPPPPGFKSEFTGPQNTGHGATSGFGS
AFTGQQGYENSGPGFWTGLGTGGILGYLFGSNRAATPFSDSWYYPSYPPSYPGTWNRAYSPL
HGGSGSYSVCSNSDTKTRTASGYGGTRRR

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 171-190

N-glycosylation site.

amino acids 172-176

Glycosaminoglycan attachment sites.

amino acids 244-248, 259-263, 331-335

Tyrosine kinase phosphorylation site.

amino acids 98-106

N-myristoylation sites.

amino acids 68-74, 69-75, 131-137, 241-247, 247-253, 266-272,
270-276, 278-284, 312-318